

DATASHEET

FALC



GENERAL

Art.Nr:	G-1155-M/XXL	Standards:	EN 358:2018,EN 361:2002
GTIN:	4030281284895	Net weight:	2.13 kg
E-class number:	40-02-01-02	Gross weight:	2.13 kg
Customs tariff number:	63079098		

DATASHEET

FALC

FALC is the universal harness for diverse applications in industry and trades. It comes equipped with a practical climbing protection eyelet and a simple design that makes it the optimal assistant for easy climbing using fixed climbing systems on buildings, monuments and masts. The comfortable back padding on FALC provides high wearing comfort. FALC also features individual adjustment options in the chest area which gives the user optimal seating. Naturally, FALC has been tested for up to 140 kg user weight.

FEATURES

Attachment points:	Sternal polyester attachment point, Dorsal steel attachment point, Side steel attachment point, Climbing protection steel attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	3
Application areas:	Emergency, Wind energy, Steelwork, Telco energy, Mobile Work Platforms
Colour:	polyethylene_terephth alate, Black
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum hip size:	120 cm
Maximum leg size:	100 cm
Maximum temperature:	45 °C
Minimum hip size:	85 cm
Minimum leg size:	75 cm
Minimum temperature:	-35 °C
Padding:	Back padding
Buckles:	stick_buckle, click_buckle

DATASHEET

FALC

Adjusting buckles:	Adjusting buckles shoulders, Adjusting buckles torso, Adjusting buckles hips, Adjusting buckles legs
--------------------	--

DIMENSIONS

Size:	M-XXL
-------	-------

MATERIAL

Material:	Polyester, Aluminium, Steel
-----------	-----------------------------