

47-2-A 3-jaw universal puller with swiveling jaws, combo crossbar, up to 500 mm spread. 450 mm reach



DESCRIPTION

The heavy 3-jaw universal puller with pivoting puller jaws and combination crossbar is used to pull large bearings, gears, and discs in all common sizes for craft, workshop, and industry. It can release any component that sits on a shaft and is freely accessible from the outside. The pivoting puller jaws provide maximum freedom of movement for individual adaptation to the respective spread and depth, even in restricted environmental conditions. The 3-jaw design guarantees an even load distribution, ensuring particularly secure grip on the part being pulled. Thanks to the combination crossbar, the puller can also be used as a 2-jaw model.

APPLICATION AREA

For extracting large bearings, gears and pulleys

BENEFIT

- Swiveling jaws allow for operation in the tightest spaces while simultaneously providing individual adjustment to the spread and depth.
- The crossbar can be used as both a 2-jaw and a 3-jaw.
- 3-jaw ensures an even force distribution and allows for greater pulling forces.
- Anti-slip safety (spindle neck) for safe working with wrench
- Spindle outlet for protecting the thread

OPERATION

- Swing the jaws from the outside to the part to be extracted
- Slide the jaws under the component
- Pull the spindle manually to fix it by applying pressure
- Move the hexagon drive (male) on the spindle head with a ratchet or a ring wrench until the part is released

APPLICATION IMAGE



DETAIL IMAGE



MASTER DATA

GTIN [EAN]	4021176017841
Country of origin	DE
Case material	Tool steel
Series	47
Net weight [kg]	14,68 kg
Package contents	1 piece
Packaging Act	PAP 21
Global sales capability given	Yes (REACH, RoHS, POP, PROP65, TSCA)

SPARE PARTS

- 46-450_Jaws for series 46/47
- 46-47-T_Crossbar for puller 46/47
- 633370_Double-sided spindle tip
- 633500_Mechanical pressure spindle