

K-482 3-piece, handy puller (2-jaw) set



DETAIL IMAGE



DESCRIPTION

The 3-piece, handy puller with force-amplifying, self-centering, and tensioning jaws in the set is used for 2-jaw extraction of bearings, gears, and discs in tight and hard-to-reach spaces. This allows for the loosening of any component that sits on a shaft and is freely accessible from the outside. The integrated force amplification with spring mechanism increases the clamping force proportional to the extracting force. By tightening the spindle, the jaws are automatically centered. The freely movable T-handle on the spindle head ensures manual tightening of the spindle in confined spaces. The set includes three different sizes for use with varying spread and depths.

APPLICATION AREA

To remove bearings, gears, and discs for tight and hard-to-reach spaces.

BENEFIT

- Application-oriented assembly for universal use
- By storing it in the box, the completeness of the set can be easily overviewed.
- Self-centering of the jaws through manual tightening of the spindle (Autogrip Technology)
- Integrated, freely movable T-handle guarantees manual spindle drive in tight spaces.
- The slim design of the jaws allows access to hard-to-reach areas.
- No additional tools are needed for the pulling process.

OPERATION

- Place the puller jaws externally against the part to be removed
- Slide the jaws under the component
- Use a wrench to secure the jaws
- Manually apply pressure to the spindle for fixation
- Use a ratchet or an open-end wrench to move the hexagon on the spindle head until the component is released

MASTER DATA

GTIN [EAN]	4021176123245
Country of origin	DE
Case material	Tool steel
Series	K-482
Net weight [kg]	2,44 kg
Package contents	1 set
Packaging Act	PAP 21
Global sales capability given	Yes (REACH, RoHS, POP, PROP65, TSCA)

SPARE PARTS

- 482-1_Handy, 2-jaw puller
- 482-2_Compact, 2-jaw puller
- 482-3_Handy, 2-jaw Puller