

Fiche article : Punch set Ø2 to 59 mm with Ø420 mm gasket cutting tool
cutting tool - Référence : JLB259PACC

PUNCH SET Ø2 TO 59 MM WITH Ø420 MM GASKET CUTTING TOOL



450,02 € excl. tax
540,02 € incl. tax

Punch set ideal for maintenance work

For cutting gaskets and discs up to 59 mm and up to 420 mm with the cutting compass



Made in France

SKU: JLB259PACC | **Categories:** [Punch sets in mm](#) |

:

Set of 34 interchangeable and twinnable hollow punches with gasket cutting tool up to 420 mm

This set allows the cutting of gaskets, pellets, or washers up to 59 mm. The hollow punches are locked on the chuck very easily thanks to the spur system and can be twinned to cut a ring in one operation.

The handle is a high-performance, comfortable and safe striking tool. The reinforced impact head allows a longer tool life and its patented system which absorbs the vibrations is a real comfort for the user.

The tool has a double use and also allows the cut-out of larger diameters from 60 to 420 mm with a Ø420 gasket cutting tool. The ergonomic handle of the tool provides comfort and excellent dexterity as it frees one hand which can block the material to be cut. The stainless

Fiche article : Punch set Ø2 to 59 mm with Ø420 mm gasket

cutting tool - Référence : JLB259PACC

steel blade has been specially designed for precise, high-performance cutting.

[The retractable centering pin](#) allows precise cutting positionning and also the centering for using the gasket cutting tool.

This set includes :

- 34 hollow punches :
Ø2-3-4-5-6-7-8-9-10-11-13-15-17-19-21-23-25-27-29-31-33-35-37-39-41-43-45-47-49-51-53-55-57-59 mm
- 1 Handle for chuck
- 1 Chuck for Ø2 to 50 mm and 1/8" to 2" hollow punches
- 1 Retractable centering pin
- 1 Rod for Ø420 mm circular cutter with its blade
- 1 extra blade

Product advantages

- Patented anti-vibration system and registered tool design.
- Lacquered metal box
- Measuring ruler printed on the box for setting the cutting diameter.
- Chuck with a setscrew to ensure its tightening during the use
- Allen key supplied in the set in order to replace the worn blade quickly
- User guide included



Made in France

For information on how to use these tools, please consult [our tutorials](#).

center top no-repeat YUOGP60fuxg |

Fiche article : Punch set Ø2 to 59 mm with Ø420 mm gasket
cutting tool - Référence : JLB259PACC