

CATALOGUE

LADDERS & STEPLADDERS

ENGLISH | 2025



Index

GENERAL	Relax. It is an Altrex.	4
	Inspections	6
	Laws and standards	7
	Ergo360®	8
	Sustainable and responsible	10
	Product identification	12
	Configurators and product categories	14
PERSONNEL LIFTS	About personnel lifts	18
	Vari-lift	20
LADDERS	About ladders	24
	Overview ladders	26
	Mounter	30
	Nevada	32
	Atlas	35
	Kibo	36
TELESCOPIC LADDERS	TL Smart Up Pro	38
	TL Smart Up Active	40
	TL Smart Up Go	41
FOLDING LADDERS	Varitrex Tele Pro+ (Flex)	42
	Varitrex Pro+	44
	Velocity (Black Pro)	45
	Varitrex Tele Pro	46
	Varitrex Pro	47
	Varitrex Do-It-All	48
	Varitrex Plus	49
ROOF LADDERS	Roof ladder	50
HOOP-/ESCAPE LADDER	Everest hoop-/escape ladder	52
ACCESSORIES AND PARTS	Accessories and parts ladders	54
STEPLADDERS	About stepladders	58
	Overview stepladders	60
DOUBLE SIDED STEPLADDERS	Taurus TDO	66
	Falco FDO	68
	Sierra SDO	70
SINGLE SIDED STEPLADDERS	Taurus TGB	72
	Taurus TME	74
	King Kombo	75
	Falco FEO	76
	Safety Step	78
	Jumbo Step	79
	Sierra SEO	80
	Nimba	81
	Double Decker®	82
	Giant® Total Black	84
	Cromato Silver	86
	Altavista 700	87
PLATFORM LADDERS	RoGuard	88
	RoGuard Compact	90
	RoShield	91
MODULAR STEP SYSTEM	Modular step systems	92
LOFT LADDERS	Woodytrex De Luxe / Superieur / Budget	96
ACCESSORIES AND PARTS	Accessories and parts stepladders	98



More than 75 years of innovations

Smart ideas that grow out
to become the standard in
access solutions.



Relax. It is an Altrex.

For more than 75 years Altrex has been a brand which guarantees safety, responsibility and innovation: a global actor with a leading position in many markets. A position based on quality, knowledge, experience and especially innovation. Choosing Altrex develops and manufactures high-quality products for both professional users and DIY users. High-quality products designed to help the user with working safely at great heights.

Modern production and logistics facilities.

Altrex has a factory with sophisticated, state-of-the-art production facilities, such as fully automated welding robots. As a specialist in aluminium welding, Altrex is able to perform a consistent, high-level quality in welding, which is guaranteed through our ISO-9001 certification. The quality of products is essential in order to work safely at height. The Altrex brand stands for quality of products and quality in service. On a daily basis, the products are distributed all over the world from the modern Altrex logistics centre.

Altrex Specials.

In certain situations, custom-made/special products are required. For them, Altrex also offers a solution and is the right choice. Altrex has a specialised department for customer solutions, where engineering and manufacturing are performed by our specialists who have the required professional knowledge and expertise. They personally advise customers about the best and safest solutions. No matter if it concerns access solutions for a football stadium, silo access systems or climbing towers, Altrex is the right choice.





Inspections

Approved: safe for working at height

Working at height safely begins with reliable access equipment. Products you can count on as a result of inspections and approvals. If your equipment fulfils legislation and regulations, you can be sure of its safety. So, make sure your access equipment is regularly inspected so that you can focus on your work. After all, that is what it is all about.

Regular inspections mean unhindered work

Good equipment means satisfactory work. Having your access equipment regularly inspected means you can be sure of its quality and safety. You also extend its life-expectancy. After all, you want to use your Altrex for many years.

Aside from the fact that you want to be certain of your safety, the prevailing legislation and regulations must also be fulfilled. These requirements vary per country. So it is good to know the requirements for your specific equipment. Find out and avoid unpleasant surprises.

Want to know more about inspections? Please contact your Altrex Dealer.

Laws & standards

Working safely at heights is largely dependent on the quality of the product. Altrex provides products which meet the standards and laws which often vary per country. These standards and laws feature detailed requirements on how the product has to look, how strong it needs to be, and how much load it has to be able to bear.

DEKRA

Dekra

DEKRA protects people, assets, and our community by providing comprehensive testing, inspection, certification and consulting services around the globe.



TÜV

Several products are certified by TÜV Nederland, TÜV Rheinland, TÜV Nord, TÜV Sud or TÜV Sud GS.

EN 131

EN 131

The EN 131 is the European standard for ladders, folding ladders and steps.



The Commodities Act (Warenwet)

In the Netherlands, all ladders and stepladders have to comply with The Portable Climbing Equipment Decree of the Commodities Act (Warenwet).

PROFESSIONEEL
ARBO GEBRUIK
NEN 2484

NEN 2484

The NEN 2484 includes (among other things) additional durability requirements in comparison to Warenwet.

EN 14122

EN 14122

The industrial step-overs, straight ladders and hoop/escape ladders comply with EN 14122.

EN 14183

EN 14183

The EN 14183 is the actual Standard for step stools, stairtype steps and dometype steps stools.

EN 14975

EN 14975

The European standard for loft ladders.






Working **safely** and **ergonomically**
at heights

The next step in working safely and ergonomically

Safe, innovative and reliable: these are the basic principles for all our products. With the Ergo360® product range, we offer a line of products that excel in the area of ergonomics. Ergonomic in use with the focus on the user and the environment.

With Ergo360®, we show that things can be done differently. Smarter, safer and healthier. Safe working is a combination of conscious working and equipment that helps to work safely.

Safe-Quick® vs. other guardrails






Altrex & STEP Netherlands

STEP Netherlands specialises in preventing physical strain. Together with this specialist in ergonomics, we develop products that ensure safety and health.

Ergo360 products have been ergonomically tested by STEP Netherlands. By combining the experience and knowledge of Altrex and STEP Netherlands, we come up with innovative products. For now and in the future.





Sustainable and responsible

Sustainable business goes hand in hand with our core values. We believe that our responsibility does not stop at supplying high-quality products. We make conscious, responsible and innovative choices in almost all our processes.

Innovation is in our DNA. For more than 75 years, we at Altrex have been choosing better, smarter and safer every day. In other words, sustainable innovation. With an eye for our customers, our employees and our future. Everyone's future.

Spare parts available

Naturally, your Altrex products will last for years. However, it may just happen that a part needs replacing after intensive use. To extend the lifespan, our products are easy to repair and spare parts remain available. Original spare parts for ladders, stairs and scaffolding can be ordered quickly and simply, directly from Altrex. Contact us at sales@altrex.com.



When it comes to sustainability, we never relax.

Going all out for sustainable entrepreneurship is noticeable on all fronts within our organisation. We consciously choose sustainable raw materials, keep our production methods energy-efficient and recycle our waste. That is what the future demands of us and the users of our products can expect.

EcoVadis Silver

EcoVadis is an independent organisation dedicated to assessing the sustainability of companies. They assess companies annually against 21 sustainability criteria divided into four core themes: environment, labour & human rights, ethics and sustainable procurement.



To receive certification from EcoVadis, companies must demonstrate that they are making improvements in sustainability. This is how we look at the EcoVadis accolades of our suppliers. Altrex received a silver award from EcoVadis in 2024.

Cradle to Cradle® certified at bronze level for all our professional scaffolding and stairs

Cradle to Cradle® is the global standard for products that are safe, circular and responsibly made. If a product is Cradle to Cradle® certified, all raw materials and materials used in its production can be reused endlessly without losing their value.



Maintaining Cradle to Cradle® certification requires constant sustainability. At Altrex, we strive not only to maintain the current certificates, but also to expand them. In other words, a higher level for even more of our products.

ISO 14001 and ISO 45001

ISO 14001 is an international standard that sets the bar high for environmental management systems. The certification shows that Altrex has developed an effective environmental management system.

At Altrex, we do the utmost to create a safe workplace. For our users, but of course also at our own organisation. To guarantee safety on the work floor at Altrex, we have had our safety system audited and certified in accordance with ISO 45001.





Product identification

With your company logo and/or colours

For a number of large companies, Altrex marks access equipment with their own identification as part of the production process; the type of identification can be specified by customers. For example, the company logo can be displayed and/or specific colours can be used on the products. Marking equipment with the company's identification is a good marketing strategy, and also helps to deter theft. Altrex has helped numerous companies, such as construction firms and rental companies, identify their equipment.

Strong identification concept

- Various identification options: name/logo/company colours (coating)
- Identifiable and distinctive
- Professional company look: strong marketing strategy!
- Theft prevention
- For rental companies and for companies with their own equipment
- Access equipment is identified in a professional, permanent and neatly presented manner
- Identification of scaffolds, suspended platforms, ladders and stepladders possible

Identification with colour coating

The special Altrex coating has a number of important advantages:

- Users keep their hands clean, because the coating repels dirt. This is a huge advantage for various target groups, such as painters/decorators
- The coating makes the aluminium warmer to touch, improving user-friendliness
- The powder coating prevents slipperiness when wet



Configurators

Scaffold configurator

If you're looking for a mobile access tower, the Altrex scaffold configurator offers the solution. In only three steps you will find the most suitable mobile access tower for your needs. Simple and convenient. Make the use of a scaffold even easier by adding extra components or accessories. This will enable you to work at height with a professional kit.

www.scaffold-configurator.com



Hoop ladders and modular step systems

From simple to complex hoop ladders or step systems; with the configurators, Altrex offers you a suitable solution quickly. You will receive a clear and complete quotation including working drawings of the complete configuration.

hoopladder-altrex.com
modularstepsystems-altrex.com



Altrex

Recognisably red. This range of ladders, folding ladders and stepladders is suitable for a range of household and DIY work.



Altrex PRO

Recognisably grey. For heavier DIY work and professional use. Altrex PRO products are perfectly suited for heavier DIY work as well as a variety of construction, renovation and maintenance tasks.



Altrex PRO +

Recognisably black. For intensive professional use. Companies and institutions working at the highest professional level in construction, industry or services profit most from the product category Altrex PRO+. These products meet the most stringent requirements.



Altrex SPECIALS

Especially for projects that need a little extra. Unique challenges deserve specific access solutions. With custom made products from Altrex, you can reach new heights and take on every project. Your requirements are what makes Altrex Specials a range with infinite possibilities: because we always provide the best solution.

PERSONNEL LIFTS





About personnel lifts

The Vari-Lift is the solution for safe and ergonomic working at lower heights. The spacious working platform offers stability and comfort, while the 360 degree safety cage protects you from falling. The patented lift system works completely without power and allows you to effortlessly rotate the platform to the desired working height. Thanks to the automatic wheel lock, the Vari-Lift stays firmly in place during use.

Compact and durably designed, the Vari-Lift is easy to move and maintenance-free. Ideal for professional applications such as installations, maintenance and facility jobs.

How-to videos

We show you exactly how all models of the Vari-lift work in the product video. Watch it very easily via YouTube, so you can see it everywhere.

www.youtube.com/AltrexTV



Vari-lift 350 vs Vari-lift 420: which one fits your job?

The Vari-lift is the solution for safe and efficient working at height. Two models are available: the Vari-lift 350 and the Vari-lift 420. Both models feature the same patented turning mechanism that allows you to easily move upwards. They also feature 360-degree fall protection and an automatic wheel lock, ensuring optimum safety and stability during use.

Yet there are some key differences. The Vari-lift 350 is more compact and therefore easier to store. In contrast, the Vari-lift 420 offers a more spacious standing area and a working height that is 70 cm higher. In addition, the Vari-lift 420 has a larger tool tray, ideal for storing your tools while working.

In short, the Vari-lift 350 is perfect when space is an issue, while the Vari-lift 420 offers more comfort, height and practical working space. Both models combine safety and ease of use, so you can always work at height with confidence.



Durable and practically maintenance-free

Thanks to its robust construction and smart design you can enjoy your Vari-Lift trouble-free for years. The patented lift system uses no electricity or hydraulics. As a result, the Vari-Lift has an unlimited number of lifting cycles, is long-lasting and nearly maintenance-free. Resulting in low operating costs.



Vari-Lift

- Work platform with powerless, patented lift system
- 360 degree fall protection
- Large working platform
- Compact, fits through a doorway
- Easy to move thanks to large wheels
- For intensive, professional use



EN 280

Vari-Lift. Maximum safety and comfort at height

The Vari-Lift makes safe working at height easier than ever. The safety cage ensures that you are always enclosed and enjoy 360-degree fall protection. With the turning mechanism, you lift the work platform without effort, precisely to the height you want. All possible thanks to the patented lift system. Completely powerless.

Finished the job? Thanks to the Vari-Lift's large wheels and compact size, you can easily move it to the next workstation. The wheels also lock automatically when you enter, so that you don't roll away unexpectedly. Safety guaranteed.

The Vari-Lift personnel lift is the perfect climbing solution for professional jobs at lower heights, where safe and ergonomic working is a top priority. For example, in installation, maintenance and facility work. All Vari-Lifts are EN 280 certified.



VARILIFT - personnel lift

Description	Art.no.	Storage width (m)	Storage length (m)	Storage height (m)	Max.standing height (m)	Max. working height(m)	Weight (kg)
Vari-lift 350	583000	0.70	0.98	1.55	1.50	3.50	196
Vari-lift 420	583001	0.74	1.28	1.94	2.20	4.20	319

LADDERS







About ladders

Every Altrex ladder is unique. Because of its design, application and possibilities. For every job, from do-it-yourself to professional, there is a specific ladder. A folding ladder, facade ladder or a telescopic ladder; in our large range, you are bound to find what you are looking for. All our ladders have one thing in common: whatever you choose, with an Altrex you always work safe at any height.

How-to videos

Placing a folding ladder in any position, placing a combination ladder in the A-position or assembling a stabiliser. We will show you all the tips & tricks about ladders in the Altrex how-to videos, very easily accessible via YouTube, so to be seen everywhere.

www.youtube.com/AltrexTV





Make sure your ladder is positioned securely

If you have a stable base, you can work safely. You must only get on the ladder once you are sure that it is stable and secure. But how can you be sure? There are a number of things you can check.

Before you ascend the ladder, check its angle. An angle of 75 degrees is best. You can easily check this by placing the toe of your shoe against the foot of the ladder and then stretching your arms out in front of you. If you can easily grab the ladder, then the angle is fine. Make sure that the rungs are horizontal. Do you have a self-locking spreading protection on your ladder? If so, use it when the ladder is in the A-position and lock it.

The surface under the ladder is also very important. It must be flat and sturdy. You don't want the ladder to sink or move. So never place a ladder on loose boards, crates or soil. You can also reinforce the surface with patio slabs or a special ladder mat.



Safe and stable up to the Red Step®

A genuine Altrex is clear from the red rung or step. This shows the height you can safely go to. And it's easy to spot with this handy feature. You can easily see how many treads/rungs you can still climb. And ensure you are always working safely.



Overview ladders

CATEGORY

PROFILE TYPE

TYPE

RUNG DISTANCE

RUNG DEPTH

COLOUR

TOP ROLLERS

STABILISER

SPREADING LOCK

VERSION

- Single
- 2-part rope-operated ladder
- 2-part push up ladder
- 2-part combination ladder
- 3-part combination ladder

MAX. LOAD

GUARANTEE

LAWS & STANDARDS



Mounter®

ALTREX PRO+

I-profile

Straight

27 cm

45 mm

Black coated

Yes, 3-part

Yes

Yes

-

2x 16/18/20

-

-

2x 8/10/12/14

3x 8/10/12/14

MAX. 150 KG

10 YEARS GUARANTEE

EN 131

PROFESSIEEL ARBO GEBRUIK
NEN 2484

DEKRA

CEILIG
WARENNET

REDA
ALTRA PRO



Nevada

ALTREX PRO+

Box-profile

Bended beams, excl
single straight

28 cm

41 mm

Black coated

Yes, 2-part from
2x12 and 3-part

No, excl. single
straight

Yes

1x 8/10/12/14/16/20

-

2x 10/12/14

2x 8/10/12/14

3x 8/10/12/14

MAX. 150 KG

10 YEARS GUARANTEE

EN 131

PROFESSIEEL ARBO GEBRUIK
NEN 2484

DEKRA

CEILIG
WARENNET

REDA
ALTRA PRO



Atlas

ALTREX PRO+

I-profile

Straight

27 cm

37 mm

Ongecoat

No

Yes

No

1x 10/12/14/16

-

-

-

-

-

MAX. 150 KG

10 YEARS GUARANTEE

EN 131

PROFESSIEEL ARBO GEBRUIK
NEN 2484

CEILIG
WARENNET

REDA
ALTRA PRO



Kibo

ALTREX PRO+

Box-profile

Bended beams

28 cm

28 mm

Uncoated

No

No

Yes

1x 10/12/14/16

-

-

2x 8/10/12/14

-

3x 8/10/12

MAX. 150 KG

5 YEARS GUARANTEE

EN 131

PROFESSIEEL ARBO GEBRUIK
NEN 2484

CEILIG
WARENNET

REDA
ALTRA PRO

Overview telescopic ladders

CATEGORY

TYPE

RUNGS

RUNG DISTANCE

RUNG DEPTH

COLOUR

TOOLBAG

ONE HAND OPERATING

SOFT CLOSE

MAX. WORKING
HEIGHT

MAX. LOAD

GUARANTEE

LAWS & STANDARDS



TL SMART UP PRO

ALTREX PRO⁺

Telescopic ladder

1 x 11/13

30 cm

78 mm

Black coated

Yes

Yes

Yes

4,20 m (1 x 11)
4,80 m (1 x 13)



5 YEARS
GUARANTEE



TL SMART UP ACTIVE

ALTREX PRO

Telescopic ladder

1 x 11/13

30 cm

65 mm

Uncoated

No

Yes

Yes

4,30 m (1 x 11)
4,85 m (1 x 13)



5 YEARS
GUARANTEE



TL SMART UP GO

ALTREX

Telescopic ladder

1 x 11/13

30 cm

45 mm

Red coated

No


Yes

Yes

4,20 m (1 x 11)
4,75 m (1 x 13)



5 YEARS
GUARANTEE



Overview folding ladders

CATEGORY

TYPE

RUNGS

RUNG DISTANCE

RUNG DEPTH

COLOUR

PLATFORM INCLUDED

SUSTAINABILITY

ADJUSTABLE WORKING HEIGHT

ADJUSTABLE FEET

STABILISER

MAX. LOAD

GUARANTEE

LAWS & STANDARDS



Varitrex Tele Pro+ Flex

ALTREX PRO⁺

Folding ladder

4x4 / 4x5

27 cm

30 mm

Black anodised

No

12.000 cycles

Yes

Yes

No



10 YEARS GUARANTEE



Varitrex Tele Pro+

ALTREX PRO⁺

Folding ladder

4x3 / 4x4 / 4x5 / 4x6

27 cm

30 mm

Black anodised

No

12.000 cycles

Yes

No

No



10 YEARS GUARANTEE



Varitrex Pro+

ALTREX PRO⁺

Folding ladder

4x3

27 cm

27 mm

Black anodised

Yes

12.000 cycles

No

No

No



10 YEARS GUARANTEE



Velocity (Black Pro)

ALTREX PRO⁺

Folding ladder

4x3 / 4x4 / 4x5 / 4x6

30 cm

34 mm

Uncoated or black anodised

No

12.000 cycles

Yes

No

No



5 YEARS GUARANTEE



Varitrex Tele Pro

ALTREX PRO

Folding ladder

4x4 / 4x5

27 cm

27 mm

Grey anodised

No

12.000 cycles

Yes

No

Yes



10 YEARS GUARANTEE



Varitrex Pro

ALTREX PRO

Folding ladder

4x3

27 cm

27 mm

Grey anodised

No

12.000 cycles

No

No

Yes



10 YEARS GUARANTEE



Overview folding ladders

CATEGORY

TYPE

RUNGS

RUNG DISTANCE

RUNG DEPTH

COLOUR

PLATFORM INCLUDED

SUSTAINABILITY

ADJUSTABLE WORKING HEIGHT

ADJUSTABLE FEET

STABILISER

MAX. LOAD

GUARANTEE

LAWS & STANDARDS



Varitrex Do-It-All

ALTREX

Folding ladder

4x3

27 cm

27 mm

Red anodised

Yes

4.000 cycles
gegarandeerd

Yes

No

Yes



5 YEARS
GUARANTEE



Varitrex Plus

ALTREX

Folding ladder

4x3

27 cm

27 mm

Uncoated

Yes

4.000 cycles
gegarandeerd

No

No

Yes



5 YEARS
GUARANTEE



Mounter[®]

- Rope-operated ladder or combination ladder
- Coated I-profiled ladder, for intensive, professional use
- Comfortable in use thanks to non-skid D-shaped rungs (45 mm deep)
- Easy to handle along the facade thanks to top rollers and the swivel hook
- Automatically locking swivel hook



EN 131

PROFESSELEEL
ARBO GEBRUIK
NEN 2484

DEKRA

Mounter®. The top of the range ladder for professionals

The Mounter® is equally strong as stable. The light weight I-profile is specifically designed for intensive use. The unique D-shaped rung is firmly in place thanks to its special shape. Moreover, the deep standing surface gives you more standing comfort and the stabiliser beam also provides additional stability. The distinctive black coating is also another nice addition to dirt repellent.

This rope-operated 2-part ladder is also ideal for working against a façade. The extendible ladder is easy to use due to the rope/pulley system and the top rollers at the ends. With one simple movement, the ladder slides out to its extended length. Perfect for every job.



MOUNTER® ROPE-OPERATED LADDER - aluminium ladder (black coated)

Description	Art.no.	Type	Number of rungs	Storage length (m)	Extended length (m)	Max. working height (m)	Weight (kg)
2-part rope-operated ladder	124816	ZS 2080	2 x 16	4.45	7.95	8.75	24.0
	124818	ZS 2090	2 x 18	5.00	8.80	9.55	28.0
	124820	ZS 2099	2 x 20	5.55	9.85	10.60	33.8

MOUNTER® COMBINATION LADDER - aluminium ladder (black coated)

Description	Art.No.	Type	Number of rungs	Storage length (m)	Extended length (m)	Max. working height A-position (m)	Max. working height (m)	Weight (kg)
2-part combination ladder	122408	ZR 2040	2 x 8	2.26	3.90	3.20	4.85	13.9
	122410	ZR 2050	2 x 10	2.80	5.00	3.75	5.90	16.2
	122412	ZR 2060	2 x 12	3.34	6.05	4.30	6.95	18.6
	122414	ZR 2070	2 x 14	3.88	6.90	4.75	7.75	21.0
3-part combination ladder	123608	ZR 3055	3 x 8	2.27	5.30	4.00	6.20	18.8
	123610	ZR 3072	3 x 10	2.81	6.65	4.55	7.50	23.9
	123612	ZR 3083	3 x 12	3.35	8.00	5.10	8.80	28.3
	123614	ZR 3099	3 x 14	3.89	8.80	5.60	9.55	35.2

Nevada

- Single straight, push-up and combination ladder
- Unique ergonomic ladder with ERGO-GRIP
- Extra high (30 mm) and deep rungs (41 mm) for extra comfort and support
- For intensive, professional use



DEKRA

EN 131

PROFESSEEL
ARBO GEBRUIK
NEN 2484



Nevada. Ergonomic box-profiled ladder for professionals

The most comfortable ladder. The Nevada has many smart features. The ergonomic box-profiled shape with ERGO-GRIP provides a sturdy, natural grip. The top quality black coating is attractive as well as dirt-resistant.

The extra deep rungs with anti-slip standing surface ensure increased comfort and the bended beams provide stability. Extra high rungs offer optimum support for your shins. Providing greater comfort if you are using the ladder for an extended period.

NEVADA SINGLE LADDER - aluminium box-profile ladder (black coated)

Description	Art.No.	Type	Number of rungs	Storage length (m)	Max. working height (m)	Weight (kg)
Single ladder	240108	NZER 1024	1 x 8	2.45	3.40	6.0
	240110	NZER 1030	1 x 10	3.00	4.00	7.0
	240112	NZER 1036	1 x 12	3.60	4.50	9.8
	240114	NZER 1041	1 x 14	4.15	5.05	10.8
	240116	NZER 1047	1 x 16	4.70	5.60	11.8
	240120	NZER 1058	1 x 20	5.85	6.70	14.8

NEVADA PUSH-UP LADDER - aluminium box-profile ladder (black coated)

Description	Art.No.	Type	Number of rungs	Storage length (m)	Extended length (m)	Max. working height (m)	Weight (kg)
2-part push-up ladder	241210	NZO 2052	2 x 10	2.95	5.15	6.05	15.3
	241212	NZO 2063	2 x 12	3.50	6.25	7.10	19.5
	241214	NZO 2072	2 x 14	4.05	7.10	7.90	26.0

NEVADA COMBINATION LADDER - aluminium box-profile ladder (black coated)

Description	Art.No.	Type	Number of rungs	Storage length (m)	Extended length (m)	Max. working height A-position (m)	Max. working height (m)	Weight (kg)
2-part combination ladder	242208	NZR 2041	2 x 8	2.35	4.00	3.30	4.90	13.3
	242210	NZR 2052	2 x 10	2.95	5.15	3.90	6.05	15.3
	242212	NZR 2063	2 x 12	3.50	6.25	4.45	7.10	19.5
	242214	NZR 2072	2 x 14	4.05	7.10	4.95	7.90	26.0
3-part combination ladder	242308	NZR 3058	3 x 8	2.45	5.80	4.25	6.65	19.6
	242310	NZR 3075	3 x 10	3.05	7.50	4.80	8.30	29.2
	242312	NZR 3083	3 x 12	3.60	8.30	5.35	9.10	33.7
	242314	NZR 3094	3 x 14	4.15	9.45	5.90	10.20	41.3



Atlas

- Single straight
- Extra deep rungs (37 mm)
- Unique lightweight I-profiled beams
- For intensive, professional use



Altrex PRO⁺



Ladders

Folding ladders

Folding ladders

Roof ladder

Hoop ladder

Accessories

ATLAS SINGLE LADDER - aluminium ladder

Description	Art.No.	Type	Number of rungs	Storage length (m)	Max. working height (m)	Weight (kg)
Single ladder	111010	AER 1029	1 x 10*	2.86	3.85	6.0
* without stabiliser	111012	AER 1034	1 x 12	3.40	4.35	8.8
	111014	AER 1040	1 x 14	3.94	4.90	10.1
	111016	AER 1045	1 x 16	4.48	5.40	11.3

Kibo

- Single, push-up and combination ladder
- Lightweight ladder
- Bended beams, extra strong and stable
- Square rung tube profile
- For intensive, professional use



Kibo. Lightweight ladder for professional use.

The Kibo is the professional lightweight ladder. Its light weight makes it very handy and easy to set up. The bended beams ensure that you can safely carry out your job anywhere. This ladder is equipped with a square rung tube profile, which makes it extra strong and durable in use.

The single ladder is extremely easy to use and can easily be set up against any wall. The combination ladder is multifunctional. Put the ladder in the A position or use it as a push-up ladder along the facade. Made for every job, so you can always work safely.



KIBO SINGLE LADDER - aluminium box-profile ladder

Description	Art.No.	Type	Number of rungs	Storage length (m)	Max. working height (m)	Weight (kg)
Single ladder	515110	KEU 1x10	1x10	2.97	3.95	6.0
	515112	KEU 1x12	1x12	3.53	4.50	7.3
	515114	KEU 1x14	1x14	4.09	5.05	8.3
	515116	KEU 1x16	1x16	4.64	5.66	9.5

KIBO PUSH-UP LADDER - aluminium box-profile ladder

Description	Art.No.	Type	Number of rungs	Storage length (m)	Extended length (m)	Max. working height (m)	Weight (kg)
2-part push-upladder	515208	KOU 2x 8	2x8	2.41	3.80	4.70	9.6
	515210	KOU 2x10	2x10	2.96	4.92	5.80	11.8
	515212	KOU 2x12	2x12	3.52	6.04	6.95	14.1
	515214	KOU 2x14	2x14	4.08	7.16	8.05	17.5

KIBO COMBINATION LADDER - aluminium box-profile ladder

Description	Art.No.	Type	Number of rungs	Storage length (m)	Extended length (m)	Max. working height A-position (m)	Max. working height (m)	Weight (kg)
3-part combination ladder	515308	KRU 3x 8	3x 8	2.35	5.13	4.25	6.05	14.6
	515310	KRU 3x10	3x10	2.91	6.81	5.95	7.70	21.4
	515312	KRU 3x12	3x12	3.46	7.93	6.50	8.85	25.2

TL SMART UP PRO

- Extra deep treads (80 mm)
- Unique integrated wall support
- Tools always at hand because of the toolbag
- Safe unlocking with soft close technology
- For intensive, professional use



PROFESSENEEL
ARBO GEBRUIK
NEN 2484

EN 131-6



 **ERGO360**

TL Smart Up Pro. The first professional telescopic ladder with treads


The TL Smart Up Pro is the first professional telescopic ladder with treads. With the integrated wall distance holder and toolbag, your tools are always within reach. Handy and safe. This telescopic ladder is automatically extendible and has 80 mm deep treads.

The TL Smart Up Pro can be used at variable working heights. The ideal ladder for professionals who need to carry out work on location, such as inspections, repairs or maintenance.



TL SMART UP PRO - aluminium telescopic ladder

Description	Art.No.	Number of rungs	Storage length (m)	Extended length (m)	Max. working height (m)	Weight (kg)
TL SMART UP Pro	500360	1 x 11	0.90	3.30	4.20	14.9
	500361	1 x 13	0.95	3.90	4.80	17.8



PROFESSIELEEL
ARBO-GEBOUK
NEN 2484

EN 131-6



TL SMART UP ACTIVE

- For domestic or professional use
- Telescopic - compact and easy to store
- Robust telescopic ladder
- Safe unlocking with soft close technology



TL SMART UP ACTIVE - aluminium telescopic ladder

Description	Art.No.	Number of rungs	Storage length (m)	Extended length (m)	Max. working height (m)	Weight (kg)
TL SMART UP Active	500357	1 x 11	0.90	3.40	4.30	13.4
	500358	1 x 13	0.95	4.00	4.85	16.8

TL SMART UP GO

- Ideal for in and around home
- Very compact to store and transport
- User-friendly telescopic ladder




TL SMART UP GO - aluminium telescopic ladder

Description	Art.No.	Number of rungs	Storage length (m)	Extended length (m)	Max. working height (m)	Weight (kg)
TL SMART UP Go	500369	1 x 11	0.85	3.20	4.20	11.8
	500370	1 x 13	0.90	3.80	4.75	13.3



EN 131-6



Ladders

Folding ladders

Folding ladders

Roof ladder

Hoop ladder

Accessories

Varitrex Tele Pro+ Flex

- Multifunctional and telescopically adjustable
- Can be used in three different positions
- 2 Adjustable feet, in steps of 6 mm up to maximum 190 mm
- Dirt-repellent through black-coated section
- Stable thanks to curved beams and non-slip base
- Ergonomic locking button with 3-PIN autolocking® hinge system



EN 131

PROFESSIEEL
ARBO GEBRUIK
NEN 2484



VARITREX TELE PRO+ FLEX - aluminium folding ladder

Description	Art.no.	Number of rungs	Storage length (m)	Extended length (m)	Max. working height when extended (m)	Max. working height in A-position (m)	Weight (kg)
Varitrex Tele Pro+ Flex	503744	4 x 4	1.23	3.99	4.85	3.25	15.1
	503745	4 x 5	1.50	5.06	5.90	3.80	18.1

Varitrex Tele Pro+

- Multifunctional and telescopic adjustment
- Can be used in three different positions
- Ideal for work on uneven surfaces
- Dirt-repellent through black-coated section
- Stable thanks to curved beams and non-slip base
- Ergonomic locking button with 3-PIN autolocking® hinge system



Altrex PRO⁺



VARITREX TELE PRO+ - aluminium folding ladder

Description	Art.no.	Number of rungs	Storage length (m)	Extended length (m)	Max. working height when extended (m)	Max. working height in A-position (m)	Weight (kg)
Varitrex Tele Pro+	503733	4 x 3	0.99	2.95	3.80	2.80	11.2
	503734	4 x 4	1.27	4.07	4.90	3.30	14.1
	503735	4 x 5	1.54	5.15	5.95	3.80	17.1
	503736	4 x 6	1.79	5.66	6.45	4.05	20.6

Ladders

Folding ladders

Folding ladders


Roof ladder

Hoop ladder

Accessoires

Varitrex Pro+

- Multifunctional and versatile
- Can be used in four different positions
- Compact storage
- Dirt-repellent through black-coated section
- Stable thanks to curved beams and non-slip base
- Ergonomic locking button with 3-PIN autolocking® hinge system



EN 131

PROFESSEEL
ARBO GEBRUIK
NEN 2484



VARITREX PRO+ - aluminium folding ladder

Description	Art.no.	Number of rungs	Storage length (m)	Extended length (m)	Max. working height when extended (m)	Max. working height in A-position (m)	Weight (kg)
Varitrex Pro+ (Incl. platform)	503547	4 x 3	0.98	3.49	4.35	3.05	14.3

Velocity (Black Pro)

- Telescopic adjustable, ideal for uneven surfaces
- Stable due to flared beams
- Also available with black coating (Black Pro)
- With wheels for easy transport (excl. 4x3)



EN 131-4

PROFESSELEEL
ARBO GEBRUIK
NEN 2484



**Little
Giant**
Ladder Systems

VELOCITY (BLACK PRO) - aluminium folding ladder

Description	Art.No. Velocity	Art.No. Black Pro	Number of rungs	Storage length (m)	Extended length (m)	Max. working height when extended (m)	Max. working height in A-position (m)	Weight (kg)
Velocity	503913	-	4 x 3	1.09	3.55	4.59	3.07	11.3
	503914	503944	4 x 4	1.40	4.50	5.54	3.38	13.8
	503915	503945	4 x 5	1.69	5.69	6.73	3.94	17.7
	503916	503946	4 x 6	1.99	6.91	7.68	4.83	22.5

Varitrex Tele Pro

- Multifunctional and versatile
- Can be used in three different positions
- Compact storage
- Dirt-repellent thanks to grey coating
- Stable thanks to stabiliser and non-slip base
- Ergonomic locking button with 3-PIN autolocking® hinge system



EN 131

PROFESSIELE
ARBO GEBRUIK
NEN 2484




VARITREX TELE PRO - aluminium folding ladder

Description	Art.no.	Number of rungs	Storage length (m)	Extended length (m)	Max. working height when extended (m)	Max. working height in A-position (m)	Weight (kg)
Varitrex Tele Pro	503714	4 x 4	1.25	4.02	4.90	3.30	13.1
	503715	4 x 5	1.52	5.10	5.95	3.80	16.6

Varitrex Pro

- Multifunctional and telescopic adjustment
- Can be used in four different positions
- Ideal for work on uneven surfaces
- Dirt-repellent thanks to grey coating
- Stable thanks to stabiliser and non-slip base
- Ergonomic locking button with 3-PIN autolocking® hinge system



EN 131

PROFESSIELEEL
ARBO GEBRUIK
NEN 2484

Ladders

Folding ladders

Folding ladders

Roof ladder

Hoop ladder


Accessoires

VARITREX PRO - aluminium folding ladder

Description	Art.no.	Number of rungs	Storage length (m)	Extended length (m)	Max. working height when extended (m)	Max. working height in A-position (m)	Weight (kg)
Varitrex Pro (Incl. platform)	503527	4 x 3	0.93	3.38	4.30	3.00	15.1

Varitrex Do-It-All

- For jobs in and around home
- Telescopic adjustable, ideal for use on uneven surfaces
- Stabilisers give added stability
- Multifunctional: various positions
- With aluminium platforms





VARITREX DO-IT-ALL - aluminium folding ladder

Description	Art.No.	Number of rungs	Storage length (m)	Extended length (m)	Max. working height when extended (m)	Max. working height in A-position (m)	Weight (kg)
Varitrex Do-It-All (incl. platform)	503580	4 x 3	0.90	3.40	4.30	3.00	16.1

Varitrex Plus

- Multifunctional: various positions
- For jobs in and around home
- Stabilisers give added stability
- With plastic platforms



EN 131-4



VARITREX PLUS - aluminium folding ladder

Description	Art.No.	Number of rungs	Storage length (m)	Extended length (m)	Max. working height when extended (m)	Max. working height in A-position (m)	Weight (kg)
Varitrex Plus (incl. platform)	503538	4 x 3	0.90	3.40	4.30	3.00	14.5

Roof ladder

- Safe working on sloping roofs
- Available in 4 lengths: 2, 3, 4, and 5 metres
- Easy to assemble and install
- Wooden underside does not scratch the roof
- The curved rungs fall over roof tiles
- Suitable for professional use



! Always use the roof ladder in combination with the proper fall protection

Roof ladder. For safe access to sloping roofs

The roof ladder is a handy tool for working safely on sloping roofs. The unique rungs ensure optimal standing comfort. On the top of the ladder, you place the ridge hook (sold separately). The wheels on the ridge hook make it easy to roll the ladder up to the correct height. Then turn the ladder over and attach the ridge hook behind the ridge of the roof. This way, the roof ladder is fixed and stable. In addition to a roof ladder, always use another form of fall protection to ensure your safety when working on sloping roofs. The roof ladders are available in four lengths: 2, 3, 4, and 5 metres. You can effortlessly link these ladders together to obtain your desired length, consisting of up to three ladder sections and up to 10 metres long.




ROOF LADDER - aluminium roof ladder

Description	Art.no.	2 m	3 m	4 m	5 m	6 m	7 m	8 m	9 m	10 m
Roof ladder 2 meter	507002	1	-	-	-	-	-	-	-	-
Roof ladder 3 meter	507003	-	1	-	-	2	1	-	-	-
Roof ladder 4 meter	507004	-	-	1	-	-	1	2	1	-
Roof ladder 5 meter	507005	-	-	-	1	-	-	-	1	2
Ridge hook roof ladder	507021	1	1	1	1	1	1	1	1	1



Everest hoop-/escape ladder

- The 30-mm deep non-skid rungs and safety hoop with a smooth finish makes climbing comfortable
- All ladders are fitted with a 1,10 m rung-free walkthrough
- Supplied including wall support set and excl. mounting materials
- Various accessories are available
- If the hoop/escape ladder has to be used as an escape route, specific current legislation applies. Ask Altrex or your local dealer



Technical data

Ladder width (outside)	56 cm
Ladder width (inside)	50 cm
Rung distance	28 cm
Hoop diameter	67 cm
Distance from the wall	20 cm
Wall brackets	per 200 cm

hoopladder-altrex.com

From simple to complex hoop ladders; with the configurator, Altrex offers you a suitable solution quickly. You will receive a clear and complete quotation including working drawings of the complete configuration.



Hoopladder with safety hoop

Art.No.	Cage length (m)	Wall height (m)
202109	1.12	2.34 - 2.61
202110	1.40	2.62 - 2.89
202111	1.68	2.90 - 3.17
202112	1.96	3.18 - 3.45
202113	2.24	3.46 - 3.73
202114	2.52	3.74 - 4.01
202115	2.80	4.02 - 4.29
202116	3.08	4.30 - 4.57
202117	3.36	4.58 - 4.85
202118	3.64	4.86 - 5.13
202119	3.92	5.14 - 5.41
202120	4.20	5.42 - 5.69
202121	4.48	5.70 - 5.97
202122	4.76	5.98 - 6.25
202123	5.04	6.26 - 6.53
202124	5.32	6.54 - 6.81
202125	5.60	6.82 - 7.09
202126	5.88	7.10 - 7.37
202127	6.61	7.38 - 7.65
202128	6.44	7.66 - 7.93
202129	6.72	7.94 - 8.21
202130	7.00	8.22 - 8.49
202131	7.28	8.50 - 8.77
202132	7.56	8.78 - 9.05
202133	7.84	9.06 - 9.33
202134	8.12	9.34 - 9.61
202135	8.40	9.62 - 9.89
202136	8.68	9.90 - 10.00

Escape ladder without hoop

Art.No.	Wall height (m)
202208	2.06 - 2.33
202209	2.34 - 2.61
202210	2.62 - 2.89
202211	2.90 - 3.17
202212	3.18 - 3.45
202213	3.46 - 3.73
202214	3.74 - 4.01
202215	4.02 - 4.29
202216	4.30 - 4.57
202217	4.58 - 4.85
202218	4.86 - 5.13
202219	5.14 - 5.41
202220	5.42 - 5.69
202221	5.70 - 5.97
202222	5.98 - 6.25
202223	6.26 - 6.53
202224	6.54 - 6.81
202225	6.82 - 7.09

Accessories

Accessories	Art.No.
Step out protection set 220 cm	202301
Step out step 33 cm	202303
Hoop enclosure bottom hoop	202304
Hoop enclosure top of hoop	202311
Fixed floor fastening	202305
Adjustable floor fastening	202306
Wall support set	202308
Suspended support set	202309
Step-over platform 1 m	202310
Step-out guardrail	202314
Revolving door	228015

Accessories and parts



Platform

- Ideal for standing on a ladder for a long time
- Easy to attach
- Suitable for Altrex All Round and Atlantis ladders



LadderCaddy

- For small and large tools
- Light and easily to move
- Suitable for every type of Altrex ladder



Platform Varitrex Prof 4 x 3

- Aluminium platform
- For extra comfort and safety



Ladder mat (length 130 cm)

- Handy and safe
- Easy to transport
- For indoor and outdoor use



Platform Mounter®

- Ideal for standing on a ladder for a long time
- Easy to attach



Wallsupport

- Handy with every type of ladder
- Stable, safe and easy to fit



Wallsupport with platform

- Handy with every type of ladder
- Stable, safe and easy to fit
- Can be pushed easily along the wall



Ridge hook

- Working safely on sloping roofs
- Suitable for all Altrex ladders



Ladder Step-Out

- Entering and leaving a roof safely
- Suitable for ladders for professional use



SafeClamp

- For safe transportation of your ladder
- Suitable for every type of ladder
- Supplied as a set (2 pieces)



Bucket hook

- Suitable for any Altrex ladder
- A convenient place to hang your work equipment



Little Giant Tooltray

- Handy accessory with the Velocity, Leveler & Black Pro Leveler
- Tools always within reach




Little Giant Ladder rack

- Handy accessory for the Velocity, Leveler & Black Pro Leveler
- To store neatly, takes up very little space



Little Giant Fueltank

- Handy accessory for the Velocity, Leveler & Black Pro Leveler
- Easy to secure, with magnetic brush-holder



Little Giant Wallsupport

- Handy accessory for the Velocity, Leveler & Black Pro Leveler
- Stable, safe and easy to fit

ACCESSORIES LADDERS

Description	Art.no.
Platform All Round/Atlantis	509084
Platform Mounter®	509359
LadderCaddy	509018
Platform Varitrex Prof 4 x 3	503598
Platform Varitrex Do-it-All	503597
Platform Varitrex Plus	509152
Ladder mat	509023
Wall support	509008
Wall support with top rollers and platform	509058
Roof ridge hook	229001
Ladder step out	228010
Locking set ladder step out	228011
SafeClamp (2 pieces)	509220
Bucket hook	509197
Little Giant Tooltray	500449
Little Giant Ladderrack	500446
Little Giant Fueltank	500448
Little Giant Wallsupport	500442

PARTS LADDERS

Description	Art.no.
Beam end cap red for Mounter® ZR 3X	720008
Rubber foot red for Mounter® left	720009
Rubber foot red for Mounter® right	720010
Rubber foot right for Nevada 72 mm	720108
Rubber foot left for Nevada 72mm	720109
Rubber foot right for Nevada	720110
Rubber foot left for Nevada	720111
Rubber foot L/R for Rocky 2x2	720122
Rubber foot L/R for Rocky 2x14 till 3x14	720123
End cap red for stabiliser Mounter®	736092
Stabiliser Mounter® 1075 mm	723069
Stabiliser Mounter® 1200 mm	736114
Stabiliser Atlas	736113
Stabiliser Nevada NZER	736125
End cap red for stabiliser All Round	720041
Rubber foot Challenger	720055
Rubber foot red All Round	720045
Stabiliser 2-part All Round	736091
Stabiliser 3-part All Round/Atlantis	736095
Set of top wheels 2 pcs.	737016
Rubber foot Varitrex Teleprof	509139
Step edge protection Varitrex Teleprof	509143
Step edge protection with hole Varitrex Teleprof	509145
Rubber foot Varitrex Prof	723119
Stabiliser Varitrex Plus	509137
End cap of stabiliser folding ladder Do-it-All / Plus	509138
Stabiliser Varitrex Do-it-All	509142

STEPLADDERS







About stepladders

DIY stepladders to use in and around the house or industrial platform stepladders for the professional. Altrex's stepladders offer a solution on every level. That is exactly what you are looking for: the best solution at any height. Single or double sided accessible, a stepladder for construction or industrial use; each stepladder in the Altrex product range is designed for safety and made for you.

When to use a professional stepladder?

You do not need professional climbing equipment for domestic, garden and kitchen work, such as cleaning windows or changing a light bulb. For this, an Altrex ladder or ladder for domestic use will meet all your requirements, such as the Double Decker®.


For all heavy jobs, however, professional climbing equipment is crucial. Our professional stepladders and ladders are made from high-quality materials and can therefore be used intensively. Thus, you always have stability and safety is a certainty, as you expect from us.

In addition to the Dutch Commodities Act, the professional ladders and stepladders also comply with the NEN2484 and EN131 standards. These are the strictest Dutch and European standards with which professional climbing materials must comply.

Taurus, Falco or Sierra?


The Taurus, Falco and Sierra are sturdy and robust, they are made for intensive professional use. At first sight, all three are suitable for you. However, the difference lies in the details, such as the treads.

The Taurus steps have a robust double box tread, making this the most sturdy of the three.



Taurus

The treads of the Falco with single box tread are extra high and rounded, which is friendly to your shins.




Falco

The Sierra is the lightest of the three due to its open tread profile.




Sierra



Safe and stable up to the Red Step®

A genuine Altrex is clear from the red rung or step. This shows the height you can safely go to. And it's easy to spot with this handy feature. You can easily see how many treads/rungs you can still climb. And ensure you're always working safely.



Overview double sided stepladders

CATEGORY

TYPE

TREADS

TREAD DISTANCE

TREAD DEPTH

COLOUR

GUARDRAIL

DOUBLE DECK

TYPES

MAX. LOAD

GUARANTEE

CRADLE TO CRADLE
CERTIFIED®

LAWS & STANDARDS



Taurus TDO

ALTREX PRO⁺

Double sided

Double box-profiled

25 cm

80 mm

Black coated

Yes, foldable

No

2x2

2x3

2x4

2x5

2x6

2x7

2x8

2x10

2x12



10 YEARS
GUARANTEE

Yes, bronze



Falco FDO

ALTREX PRO⁺

Double sided

Single box-profiled

25 cm

80 mm

Grey coated

Yes, foldable

No

2x2

2x3

2x4

2x5

2x6

2x8

2x10



10 YEARS
GUARANTEE

Yes, bronze



Sierra SDO

ALTREX PRO

Double sided

Open-profiled

25 cm

80 mm

Uncoated

Yes, foldable

No

2x3

2x4

2x5

2x6



5 YEARS
GUARANTEE

Yes, bronze



Overview single sided stepladders

CATEGORY	Taurus TGB	Taurus TME	King Kombo	Falco FEO	Safety Step	Jumbo Step
TYPE	Single sided	Single sided	Single sided	Single sided	Single sided	Single sided
TREADS	Double box-profiled	Double box-profiled	Close box-profiled	Single box-profiled	Platform	Platform
TREAD DISTANCE	25 cm	25 cm	30 cm	25 cm	22 cm	22 cm
TREAD DEPTH	80 mm	80 mm	80 mm	80 mm	230 mm	215 mm
COLOUR	Black coated	Black coated	Uncoated	Grey coated	Uncoated	Uncoated
GUARDRAIL	Yes	Yes	No	Yes	Yes, foldable	Yes, foldable
DOUBLE DECK	Yes	No	No	No	No	No
TYPES	1x3 1x4 1x5 1x6 1x7 1x8 1x10 1x12	1x6 1x7 1x9 1x11	5 (+3) 6 (+3) 8 (+5)	1x3 1x4 1x5 1x6 1x7 1x8 1x10	1x2 1x3 1x4	1x2 1x3 1x4
MAX. LOAD	 MAX. 150 KG	 MAX. 150 KG	 MAX. 150 KG	 MAX. 150 KG	 MAX. 150 KG	 MAX. 150 KG
GUARANTEE	10 YEARS GUARANTEE	10 YEARS GUARANTEE	5 YEARS GUARANTEE	10 YEARS GUARANTEE	5 YEARS GUARANTEE	5 YEARS GUARANTEE
CRADLE TO CRADLE CERTIFIED®	Yes, bronze	Yes, bronze	No	Yes, bronze	No	No
LAWS & STANDARDS	EN 131 PROFESSIONEEL ARBO GEBRUIK NEN 2484 DEKRA 	EN 131 PROFESSIONEEL ARBO GEBRUIK NEN 2484 DEKRA 	EN 131 PROFESSIONEEL ARBO GEBRUIK NEN 2484  	EN 131 PROFESSIONEEL ARBO GEBRUIK NEN 2484 DEKRA 	EN 131 PROFESSIONEEL ARBO GEBRUIK NEN 2484 	EN 131 PROFESSIONEEL ARBO GEBRUIK NEN 2484 

Overview single sided stepladders

CATEGORY

TYPE

TREADS

TREAD DISTANCE

TREAD DEPTH

COLOUR

GUARDRAIL

DOUBLE DECK

TYPES

MAX. LOAD

GUARANTEE

CRADLE TO CRADLE CERTIFIED®

LAWS & STANDARDS



Sierra SEO

ALTREX PRO

Single sided

Open-profiled

25 cm

80 mm

Uncoated

Yes

No

1x3

1x4

1x5

1x6



5 YEARS
GUARANTEE

Yes, bronze



Nimba

ALTREX PRO

Single sided

Platform

25 cm

110 mm

Uncoated

Yes

No

1x3

1x4

1x5

1x6

1x7

1x8



5 YEARS
GUARANTEE

No



Double Decker®

ALTREX

Single sided

Platform

23 cm

80 mm

Uncoated

Yes

Yes

1x3

1x4

1x5

1x6

1x7

1x8



5 YEARS
GUARANTEE

No



Giant® Total Black

ALTREX

Single sided

Platform

23,5 cm

200 mm

Black coated

Yes

No

1x2



5 YEARS
GUARANTEE

No



Cromato

ALTREX

Single sided

Platform

23,5 cm

260 mm

Grey coated

Yes

No

1x2

1x3



5 YEARS
GUARANTEE

No



Altavista 700

ALTREX

Single sided

Platform

25 cm

80 mm

Uncoated

No

No

2x2



5 YEARS
GUARANTEE

No



Overview platform ladders

CATEGORY

TYPE

TREADS

TREAD DISTANCE

TREAD DEPTH

COLOUR

DOOR

FOLDABLE

TYPES

MAX. LOAD

GUARANTEE

CRADLE TO CRADLE
CERTIFIED®

LAWS & STANDARDS



RolGuard

ALTREX PRO⁺

Single sided

Platform and rungs

25 cm

80+60 mm

Black coated

Saloon door

No

3/4

5/7

8/11



5 YEARS
GUARANTEE

No

EN 131-7



RolGuard Compact

ALTREX PRO⁺

Single sided

Platform and rungs

25 cm

80+60 mm

Black coated

Saloon door

Yes

5/7



5 YEARS
GUARANTEE

No

EN 131-7



RolShield

ALTREX PRO

Single sided

Platform and rungs

25 cm

80 mm

Uncoated

Barrier access

No

1x3

1x4

1x5



5 YEARS
GUARANTEE

No

EN 131-7



Overview loft ladders

CATEGORY

TYPE

TREADS

TREAD DISTANCE

TREAD DEPTH

COLOUR

GUARDRAIL

DOUBLE DECK

TYPES

THICKNESS OF INSULATION HATCH INSULATION VALUE (U)

MAX. LOAD

GUARANTEE

CRADLE TO CRADLE CERTIFIED®

LAWS & STANDARDS



Woodytrex De Luxe

ALTREX PRO⁺

Single sided

Wood

25 cm

75 mm

Wood

Yes

No

110x70x17 cm
120x60x17 cm
120x70x17 cm

46 mm

0,85 (W/m²K)



5 YEARS
GUARANTEE

No

EN 14975



Woodytrex Superieur

ALTREX PRO

Single sided

Wood

25 cm

75 mm

Wood

Yes

No

110x60x13,5 cm
110x70x13,5 cm
120x60x13,5 cm
120x70x13,5 cm
140x70x13,5 cm

26 mm

1,22 (W/m²K)



5 YEARS
GUARANTEE

No

EN 14975



Woodytrex Budget

ALTREX

Single sided

Wood

25 cm

75 mm

Wood

No

No

120x60x10 cm
120x70x10 cm

26 mm

1,9 (W/m²K)



5 YEARS
GUARANTEE

No

EN 14975





Taurus TDO

- Double-sided, can be used on both sides
- Robust treads thanks to double-box profiled treads
- Safe for the fingers due to hinge system in the platform
- For intensive, professional use



PROFESIONEEL
ARBO GEBRUIK
NEN 2484

EN 131

DEKRA

Taurus TDO double sided. Robust stepladder for building and industry

The stepladder with the best features. It is double-sided and can be used on both sides. User-friendly and robust. For the professional who needs more. The Taurus is designed for intensive use. The unique hinge system on the guardrails makes the treads exceptionally safe to use. The dirt resistant black coating makes these treads suitable for every professional job.

The safety guardrail gives you additional safety. In 2 seconds simply fold in the bracket in so that the stepladder is compact for transport. The self-locking metal spread protection (from TDO 2 x 3) prevents the stepladder from unexpected closure while in use. Anti-slip feet also provide sturdiness and stability. A stepladder of the very highest quality.



TAURUS DOUBLE SIDED - platform stepladder (with black coating)

Description	Art.no.	Type	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Double sided	192502	TDO 2*	2 x 2	0.50	0.45	2.45	3.5
*) without guardrail	192603	TDO 3	2 x 3	0.75	0.70	2.70	7.9
	192604	TDO 4	2 x 4	1.00	0.95	2.95	9.4
	192605	TDO 5	2 x 5	1.25	1.20	3.20	11.0
	192606	TDO 6	2 x 6	1.50	1.40	3.40	12.6
	192607	TDO 7	2 x 7	1.75	1.65	3.65	14.7
	192608	TDO 8	2 x 8	2.00	1.90	3.90	16.4
	192610	TDO 10	2 x 10	2.50	2.35	4.35	20.2
	192612	TDO 12	2 x 12	3.00	2.80	4.80	24.3

Foldable guardrail

733180

TDO

Also available without guardrail



Falco FDO

- Double-sided accessible, can be used on both sides
- Increased sturdiness thanks to single box-profiled treads (80 mm)
- Safe in use and prevents finger entrapment due to smart hinge system of the platform
- For professional use



PROFESSENEEL
ARBO CEERUUM
NEN 2484

EN 131

DEKRA

Falco FDO double sided. The stepladder for professional use

The Falco is made for intensive use. Double sided, so it can be used on both sides. The robustly designed stepladder is ideal for any professional job. The unique hinge system of the platform makes the stepladder remarkably safe to use.

The grey coating is not only stylish. It is also dirt-resistant and does not stain your hands. Thanks to the large feet, you are sure to be stable. The guardrail gives you extra safety. Folded down, the stepladder is compact to transport. Thanks to the pressure-resistant spreading lock (from FDO 2 x 3 upwards), you can be sure that the stepladder will not collapse unintentionally. Moreover, the large non-slip feet give you a firm and stable stand. A stepladder for every professional job.



FALCO DOUBLE SIDED - aluminium stepladder (with grey coating)

Description	Art.No.	Type	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Double sided without guardrail	192322	FDO 2*	2 x 2	0.50	0.45	2.45	4.8
* without guardrail	192423	FDO 3	2 x 3	0.75	0.70	2.70	7.3
	192424	FDO 4	2 x 4	1.00	0.95	2.95	8.6
	192425	FDO 5	2 x 5	1.25	1.20	3.20	10.0
	192426	FDO 6	2 x 6	1.50	1.40	3.40	12.0
	192428	FDO 8	2 x 8	2.00	1.90	3.90	15.0
	192430	FDO 10	2 x 10	2.50	2.35	4.35	18.0
Foldable guardrail	733074	FDO					

Also available without guardrail



Sierra SDO

- Can be used on both sides
- For the handyman and professional expert
- Safe in use and prevents finger entrapment due to smart hinge system of the platform



PROFESSENEEL
ARBO GEBRUIK
NEN 2484

EN 131

Sierra SDO double sided. The professional stepladder for the handyman and professional

The Sierra is a robust, professional stepladder. It can be used on both sides. Ideal for the slightly heavier jobs at home or for professional projects. Despite the robust design the stepladder is lightweight due to the open step profile.

The solid step feet offer the necessary stability. Moreover, the antiskid profile makes sure you do not slip. The Sierra is a professional stepladder with an open step profile. The stepladder is consequently extremely lightweight. The treads are attached by means of blind rivets. As a consequence they can quickly be replaced should this be required.



SIERRA DOUBLE SIDED - aluminium stepladder

Description	Art.No.	Type	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Double sided	194403	SDO 3	3	0.75	0.70	2.70	6.5
	194404	SDO 4	4	1.00	0.95	2.95	7.7
	194405	SDO 5	5	1.25	1.20	3.20	8.9
	194406	SDO 6	6	1.50	1.40	3.40	10.1
Foldable guardrail	733074	SDO					
Also available without guardrail							

Taurus TGB

- Single sided stepladder
- Robust treads thanks to double-box profiled treads
- Two decks means two work levels
- Safe for the fingers due to hinge system in the platform
- For intensive, professional use



PROFESSENEEL
ARBO OEBRUK
NEN 2484


EN 131

DEKRA

Taurus TGB single sided. The stepladder for construction and industry


The stepladder with the best characteristics. Ease of use and robust. Specifically for the professional who demands more. The Taurus is designed for intensive use. Thanks to the self-release hinge system, the stepladders are remarkably handy and easy to use. Quickly set-up, quickly packed up. The dirt resistant black coating makes these treads suitable for every professional job.

The two platforms on top of each other are especially unique. You have two safe and comfortable work spaces. The self-locking metal spread protection (from TGB 6) prevents the stepladder from unexpected closure while in use. Moreover, you stand firm and stable due to the large non-skid feet and enclosed hinges. A stepladder at the highest level.



TAURUS SINGLE SIDED - platform stepladder (with black coating)

Description	Art.No.	Type	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Single sided	191503	TGB 3	3	1.45	0.70	2.70	7.4
	191504	TGB 4	4	1.70	0.95	2.95	8.5
	191505	TGB 5	5	1.95	1.20	3.20	9.6
	191506	TGB 6	6	2.20	1.40	3.40	13.0
	191507	TGB 7	7	2.45	1.65	3.65	14.2
	191508	TGB 8	8	2.70	1.90	3.90	14.6
	191510	TGB 10	10	3.20	2.35	4.35	17.9
	191512	TGB 12	12	3.70	2.80	4.80	20.3




PROFESSIEEL
ARBO GEBRUIK
NEN 2484

EN 131

DEKRA

Taurus TME

- Ideal for use in a warehouse
- Robust treads thanks to double-box profiled treads
- Ergonomic to move and to use thanks to wheels and handrails
- Tread distance 25 cm
- Tread depth 80 mm



TAURUS TME - aluminium warehouse stepladder (with black coating)

Description	Art.No.	Type	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Single sided	193206	TME 6	6	2.45	1.40	3.40	16.0
	193207	TME 7	7	2.70	1.65	3.65	18.0
	193209	TME 9	9	3.20	2.10	4.10	23.6
	193211	TME 11	11	3.70	2.60	4.60	27.1

King Kombo

- 3-in-1 model; can be used in several positions
- With integrated wall support, corner support and pole support
- Stable with large steps (80 mm)
- Extremely suitable for installers
- For professional use



STERKTE EISEN
NEN 2484

EN 131

**Little
Giant**
Ladder Systems

Double sided

Single sided

Platform ladders

Modular step system

Loft ladders

Accessoires

KING KOMBO - 3 in 1 ladder

Description	Art.No.	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Single sided	503075	5 (+ 3) *	1.52	1.50	3.50	8.7
	503076	6 (+ 3) *	1.83	2.00	4.00	10.0
	503078	8 (+ 5) *	2.44	3.30	5.30	14.5

* The plus symbol stands for the number of steps by which the stepladder can be extended when placed in ladder position.

Altrex PRO⁺



Falco FEO

- Single sided
- Safe in use and prevents finger entrapment due to smart hinge system of the platform
- Increased sturdiness thanks to single box-profiled treads (80 mm)
- For professional use



PROFESSIONEEL
ARBO CEBRUIK
NEN 2484

EN 131

DEKRA

Falco FEO single sided. The steps for professional use

The Falco is designed for intensive use. The robust, shaped treads are ideal for any professional task. The self-unlocking hinging system makes the stepladder particularly handy and easy to use. Quick to use, quick to clear away.

The grey coating is not just stylish, it is also dirt-resistant and does not come off on your hands. Strengthening braces and large anti-slip feet ensure stability. The safety guardrail is not just safe, the tray on the rail also gives you somewhere to store your tools.



FALCO SINGLE SIDED - aluminium stepladder (with grey coating)

Description	Art.No.	Type	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Single sided	191323	FEO 3	3	1.45	0.70	2.70	6.1
	191324	FEO 4	4	1.70	0.95	2.95	7.0
	191325	FEO 5	5	1.95	1.20	3.20	8.0
	191326	FEO 6	6	2.20	1.40	3.40	9.1
	191327	FEO 7	7	2.45	1.65	3.65	10.1
	191328	FEO 8	8	2.70	1.90	3.90	11.3
	191330	FEO 10	10	3.20	2.35	4.35	12.5

Safety Step

- Single sided
- Small and robust
- Extra large treads, improve standing comfort
- With handy tool tray
- Tread distance 22 cm
- Tread depth 230 mm



**Little
Giant**
Ladder Systems



PROFESSIELEEL
ARBO GEBRUIK
NEN 2484

EN 131



SAFETY STEP - aluminium stepladder

Description	Art.No.	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Single sided	503002	2	0.80	0.46	2.45	7.1
	503003	3	1.08	0.66	2.65	9.6
	503004	4	1.40	0.89	2.90	12.3

Jumbo Step

- Single sided
- Small and robust
- Extra large treads, improve standing comfort
- With handy tool tray
- Tread distance 22 cm
- Tread depth 215 mm



JUMBO STEP - aluminium stepladder

Description	Art.No.	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Single sided	503042	2	0.77	0.46	2.46	5.0
	503043	3	1.07	0.66	2.66	7.3
	503044	4	1.42	0.89	2.89	9.1

Altrex PRO⁺



Little Giant
Ladder Systems

Double sided

Single sided

Platform ladders

Modular step system

Loft ladders

Accessoires



STERKTE EISEN
NEN 2484

EN 131

Sierra SEO

- For the handyman and professional expert
- Lightweight stepladder through u-shape profiled treads
- Safe in use and prevents finger entrapment due to smart hinge system of the platform






SIERRA SINGLE SIDED - aluminium stepladder

Description	Art.No.	Type	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Single sided	194303	SEO 3	3	1.45	0.70	2.70	5.9
	194304	SEO 4	4	1.70	0.95	2.95	6.8
	194305	SEO 5	5	1.95	1.20	3.20	7.8
	194306	SEO 6	6	2.20	1.40	3.40	8.8

Nimba

- Single sided
- Lightweight stepladder for professional use
- High standing comfort, due to 110 mm deep steps
- Handy integrated bucket hook
- Extra-large non-slip feet



Double sided

Single sided

Platform ladders

Modular step system

Loft ladders

Accessoires

NIMBA SINGLE SIDED - lightweight aluminium stepladder

Description	Art.no.	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Single sided	503893	3	1.45	0.66	2.65	4.8
	503894	4	1.70	0.89	2.90	5.8
	503895	5	1.95	1.12	3.10	6.8
	503896	6	2.20	1.36	3.35	7.8
	503897	7	2.45	1.59	3.60	9.0
	503898	8	2.70	1.82	3.80	10.1

Double Decker®

- Double deck, doubles the standing surface
- Handy SmartBox and red bucket hook
- Non-skid treads and wear and tear resistant feet
- Strong, stable and lightweight



STERKTE EISEN
EN 131

Double Decker®. The smartest stepladder for home use

The Double Decker® is the best stepladder. Safe, sturdy and finished with many handy extra's. This lightweight aluminium stepladder is your stable base for the big and small jobs in and around the house.

The smartest ladder ever gives you maximum standing comfort. The Double Decker® is indispensable with any job at height. With its double step and platform you stand sturdy and have the room to move around. The storage compartment and the bucket hook means you always have a hand free. This is quite safe and handy. The complete Double Decker® is designed for you.



DOUBLE DECKER® - aluminium stepladder

Description	Art.No.	Type	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Single sided	502103	D803	3	1.45	0.60	2.60	4.8
	502104	D804	4	1.65	0.80	2.80	5.4
	502105	D805	5	1.90	1.00	3.00	6.0
	502106	D806	6	2.10	1.20	3.20	7.1
	502107	D807	7	2.35	1.45	3.45	8.4
	502108	D808	8	2.55	1.65	3.65	9.4

Giant® Total Black

- Extra large treads for optimal standing comfort
- Dirt resistant thanks to anodised styles
- Compact to store
- Folded up only 3,5 cm




EN 14183

Giant®. A compact household stepladder

The Giant® is the 'smallest' of the family of stepladders. Ideal when you have to go just one step higher. This household stepladder is sturdy, durable and extremely compact to store. And therefore indispensable with all small jobs in the house.

The Giant® is small in size and big in stability. The reliable construction and the extra large 20 x 30 cm treads ensure optimal standing comfort. The anodized surface gives a great feeling of stability. Therefore this household ladder is also dirt-repellent. Once folded it takes up only 3,5 cm of space, meaning it can be stored in any corner of your house.



GIANT® TOTAL BLACK- aluminium stepladder (Black coated)

Description	Art.No.	Type	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Single sided	507892	G402B	2	0.90	0.45	2.45	3.2

Cromato Silver

- High guardrail for optimal support during use
- Non-skid treads and rubber feet
- Strong, stable and extremely safe
- High support guardrail on the Cromato 2-plus and 3-plus



CROMATO SILVER - steel stepladder

Description	Art.No.	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
Cromato Silver 2	500949	2	0.95	0.47	2.47	5.6
Cromato Silver 2-plus	500950	2	1.15	0.47	2.47	5.8
Cromato Silver 3-plus	500951	3	1.42	0.70	2.70	7.9

Altavista 700

- Extra large work platform
- Practical and compact to store
- Suitable for use in and around the house



Altrex



ALTAVISTA 700 - aluminium work platform

Description	Art.No.	Platform height (m)	Max. working height (m)	Weight (kg)
Altavista 700	507843	0.50	2.50	4.2

Double sided

Single sided

Platform ladders

Modular step system

Loft ladders

Accessoires



RolGuard

- 360-degree fall protection
- Extra-large stainless steel platform (60 x 40 cm)
- Access with smart salon door
- Extra stable thanks to large feet and stabilisers
- Easy to move thanks to large profiled wheels (ø 175 mm)
- 2 removable tool trays with cut-outs for tools and a bucket hook



EN 131-7

RolGuard. Telescopically adjustable platform ladder

The RolGuard is our most advanced platform ladder. With the extra-large platform of 60 by 40 centimeters, you always have enough space to stand securely and comfortably. Thanks to the safety frame, you always enjoy 360-degree fall protection and are able to work with your hands free. Extra balance while working is provided by the stabilizer. In short, the perfect combination of comfort and safety.

The RolGuard is height adjustable and therefore flexible in its applications. Perfect for intensive professional use with varying working heights or differences in body height. The RolGuard is available with 3/4, 5/7 or 8/11 treads.



ROLGUARD - aluminium platform ladder

Description	Art.no.	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
RolGuard	502193	3/4	2.16	0.95	2.95	26.4
	502195	5/7	2.63	1.61	3.60	31.6
	502199	8/11	3.38	2.50	4.50	39.4

RolGuard Compact

- 360-degree fall protection, extra safe
- Extra-large stainless steel platform (60 x 40 cm)
- Foldable, therefore easy to transport
- Access with smart salon door
- Extra stable thanks to large feet and stabilisers



ROLGUARD COMPACT - foldable aluminium platform ladder

Description	Art.no.	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
RolGuard Compact	502187	5/7	2.18	1.61	3.60	32.6

RolShield

- 360-degree fall protection, extra safe
- Wooden platform (50 x 40 cm)
- Access with barrier
- Extra stable due to stabilisers
- 2 removable tool trays with cut-outs for tools and a bucket hook



EN 131-7

ROLSHIELD - aluminium platform ladder

Description	Art.no.	Number of treads	Storage length (m)	Max. standing height (m)	Max. working height (m)	Weight (kg)
RolShield	502153	3	2.08	0.70	2.70	19.0
	502154	4	2.34	0.94	2.95	20.4
	502155	5	2.59	1.17	3.15	22.4

Double sided

Single sided

Platform ladders

Modular step system

Loft ladders

Accessories



Modular Step Systems

The Altrex platform stepladder is a modular system which offers infinite possibilities. Ideal to use in a warehouse or for maintenance work on a machine or production line. The platform stepladder can easily be moved thanks to its 4 wheels. Choose the angle of inclination and width of the treads that suit your job and requirements.

Depending on the height required and the space available to erect the stairs, Altrex offers different angles of inclination (45° or 60°), treads widths (60, 80 or 100 cm) and different heights.

- All step systems have a max. distributed load of 500 kg and max. 150 kg per 3 treads
- The step system is based on the EN14122-3
- The step-over and straight stairs comply with EN 14122-3 for permanent access solutions for machines

For special models, such as different angles of inclination or mobile step-over, please contact Altrex, this also applies for custom-made models!

modularstepsystems-altrex.com

From simple to complex: Altrex configurator can quickly provide suitable solutions for your step systems needs. You will receive a clear and complete quotation including working drawings of the entire configuration.



Mobile step platform with 4 wheels



Step-over



Straight stairs with or without platform



Extrusion non-skid treads



Option: crude profiled punched treads



Wheels fitted with a brake and PU running surface



Round, curved railing



Easy to use with braking tread

Mobile Step Platform

Mobile step platform with 4 wheels

- Fitted with 4 wheels (2 swivel castors) with PU tread
- 45° or 60° inclination of the step
- Tread width of 60, 80 or 100 cm
- Sturdy non-skid extrusion or crude profiled punched treads (both 21.5 cm deep)
- Standing height of 0.65 m up to a max. of 3.25 m
- Optional: mounting profiles for floor assembly



MOBILE STEP PLATFORM

Mobile step platform 60° (4 wheels)	3	4	5	6	7	8	9	10	12	14	16
Standing height (cm)	73	98	122	147	171	196	220	245	294	-	-
Article number (tread width 60 cm)	226003	226004	226005	226006	226007	226008	226009	226010	226012	-	-
Mobile step platform 45° (4 wheels)											
Standing height (cm)	64	84	104	124	144	164	184	204	244	284	324
Article number	224503	224504	224505	224506	224507	224508	224509	224510	224512	224514	224516

Step-overs

- 45° or 60° stepladder
- Tread width of 60, 80 or 100 cm
- Sturdy non-skid extrusion or crude profiled punched treads (both 21.5 cm deep)
- Standing height of 0,60 m up to max. 2,20 m
- Provided as standard with mounting profiles for floor assembly



EN 14122

Straight stairs

- 45° or 60° stepladder
- Tread width 60, 80 or 100 cm
- Sturdy non-skid extrusion or crude profiled punched treads (both 21.5 cm deep)
- Standing height from 0,80 m up to a max. 4 m




EN 14122

STEP-OVERS

Step-over 45°	3	4	5	6	7	8	9	10	11
Max. height under platform (cm) (H)	48	68	88	108	128	148	168	188	208
Spread (cm) (S)	173.5	213.5	253.5	293.5	333.5	373.5	413.5	453.5	493.5
Platform length (cm) (B)	64.5	64.5	64.5	64.5	64.5	64.5	64.5	64.5	64.5
Step	224523	224524	224525	224526	224527	224528	224529	224530	224530
Guardrail	224543	224544	224545	224546	224547	224548	224549	224550	224551

Step-over 60°	3	4	5	6	7	8	9	10	11
Max. height under platform (cm) (H)	61.5	86	110.5	135	159.5	184	208.5	-	-
Spread (cm) (S)	139	167.5	195.5	224	252.5	280.5	309	-	-
Platform length (cm) (B)	64.5	64.5	64.5	64.5	64.5	64.5	64.5	-	-
Step	226023	226024	226025	226026	226027	226028	226029	-	-
Guardrail	226043	226044	226045	226046	226047	226048	226049	-	-



Woodytrex De Luxe

- Most complete, luxuriously finished
- Insulation value 0,85 (W/m²K)
- Max. ceiling height 280 cm
- Thickness of insulated hatch 46 mm
- Turning circle 65°
- Container height 17 cm
- Easy assembly



EN 14975

WOODYTREX DE LUXE - loft ladder

Description	Art.No.	Opening size (cm)	Box frame height (cm)
3-part wooden loft ladder	505061	110 x 70	17
	505062	120 x 60	17
	505063	120 x 70	17

Woodytrex Superieur

- Luxuriously finished
- Insulation value 1,22 (W/m²K)
- Max. ceiling height 280 cm
- Thickness of insulated hatch 26 mm
- Turning circle 65°
- Container height 13,5 cm
- Easy assembly



EN 14975

WOODYTREX SUPERIEUR - loft ladder

Description	Art.No.	Opening size (cm)	Box frame height (cm)
3-part wooden loft ladder	505024	110 x 60	13.5
	505025	110 x 70	13.5
	505026	120 x 60	13.5
	505027	120 x 70	13.5
	505029	140 x 70	13.5

Woodytrex Budget

- For domestic use
- Insulation value 1,9 (W/m²K)
- Max. ceiling height 280 cm
- Thickness of insulated hatch 26 mm
- Turning circle 65°
- Container height 10 cm
- Easy assembly



EN 14975

WOODYTREX BUDGET - loft ladder

Description	Art.No.	Opening size (cm)	Box frame height (cm)
3-part wooden loft ladder	505016	120 x 60	10
	505017	120 x 70	10

Double sided

Single sided

Platform ladders

Modular step system

Loft ladders

Accessories



Accessories and parts



Foldable guardrail Taurus

- Fits on all Taurus double sided stepladders
- Can quickly be folded or unfolded in 2 seconds



Foldable guardrail Falco/Sierra

- Fits on all Falco and Sierra double sided stepladders



Tray

- Always have your tools within reach
- Suitable for Taurus, Falco, Eifel and Sierra



Handrail

- Handrail for the Double Decker or Lima
- Additional safety through extra grip



Gardenbase

- Extra stability on sand, grass, gravel, bitumen layers and other soft substrates
- Suitable for all household stepladders



Trim

- Made of white plastic
- Dimensions: 30x20 mm (wxh)
- Clamping profile 8 mm
- Supplied in 2 lengths 70 cm and 140 cm



Display rack

- Red coated
- Presents loft ladder in showroom
- Suitable for loft ladders with a width of 70 cm



Hand guardrail

- Black coated
- Can be fitted on the left or right of the loft ladder



Loft ladder fence

- More support, extra safe
- Suitable for all loft ladders and box sizes

ACCESSORIES STEPLADDERS

Description	Art.No.
Guardrail for Taurus	733180
Guardrail for Falco/Sierra	733074
Tray TGB/EEO/FEO/SEO	509180
Gardenbase	509357
Handrail	509358
Loft ladder fence*	505099
Handrail loftladder	505097
Trim loftladder *	505098
Display rack Loftladder	505050

*) Suitable for all (opening)dimensions

PARTS STEPLADDER

Description	Art.No.
Rubber foot rear for TGB/TME/SEO	720053
Rubber foot front for TGB and front and rear for TDO/SDO	720054
Rubber foot rear for Falco/Andes (FEO/AEO)	720100
Rubber foot front and rear for FDO/ADO	720101
Hinge for guardrail Taurus	733183
Hinge cap for guardrail Taurus	733184
Mounting kit guardrail Taurus TDO	733185
Rubber foot rear for Castor	720091
Rubber foot left front for Castor	720092
Rubber foot right front for Castor	720093
Rubber feet front Double Decker® per 2	509028
Rubber feet rear Double Decker® per 2	509029
Rubber feet front for Steddy/Lima 3/5-step per 2	509032
Rubber feet rear for Steddy/Lima 3/5-step per 2	509033
Rubber feet front for Steddy/Lima 6/7-step per 2	509034
Rubber feet rear for Steddy/Lima 6/7-step per 2	509035
Rubber foot front for Giant®	723139
Rubber foot rear for Giant®	723140
Rubber feet Yara front per 2	509260
Rubber feet Yara rear per 2	509261
Tooltray Yara	509263
Rubber foot black loftladder Woodytrex 2 steps	505112

[illegible]

[illegible]

This image shows a full page of white paper with horizontal dashed lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting or drawing. There are no margins, text, or other markings on the page.

[illegible]

This image shows a full page of a handwriting practice worksheet. It consists of multiple sets of three horizontal dashed lines spaced evenly down the page, providing a guide for letter height and placement. The background is plain white, and there are no other markings or text present.

[illegible]



www.altrex.com

Altrex B.V.

P.O. Box 30160

8003 CD Zwolle (The Netherlands)

Tel.: +31 38 455 77 33

sales@altrex.com

Misprints and printing errors reserved. The products, specifications and versions mentioned in this catalogue may change in the meantime.