



LOOB



STAINLESS STEEL BAND GRADE 201



201 stainless steel tape

The 201 stainless steel tape is a universal solution that allows you to mount different types of elements, guaranteeing a durable and solid connection even on heavy and demanding objects. A major advantage of stainless steel tapes is their functionality: they work well in moderate weather conditions and can withstand high loads.

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66540800010	Stainless Steel Band 6,4x0,5mm 30m G201	1	614103	614103	20.24
66540800020	Stainless Steel Band 9,5x0,6mm 30m G201	1	614104	614104	28.34
66540800030	Stainless Steel Band 12,7x0,7mm 30m G201	1	614105	614105	26.56
66540800040	Stainless Steel Band 16x0,7mm 30m G201	1	614106	614106	40.23
66540800050	Stainless Steel Band 19x0,7mm 30m G201	1	614107	614107	40.48

Loob Stainless steel strap type 201



STAINLESS STEEL BAND GRADE 201



Standard ASTM A240, 201 stainless steel tape
 The 201 stainless steel tape is a universal solution that allows you to mount different types of elements, guaranteeing a durable and solid connection even on heavy and demanding objects. A major advantage of stainless steel tapes is their functionality: they work well in moderate weather conditions and can withstand high loads. Corrosion resistance in moderate and mild environments
 very high mechanical strength
 high mechanical properties facilitate shrinking without material loss
 oxidation resistance at high temperatures
 resistance to low temperatures
 smooth finish on all surfaces
 Length 50 meters
 Stainless steel quality 201

Thickness 0.6 mm
 A kind of package Cardboard packaging
 Tape type Standard"

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66541200010	Stainless Steel Band 6,4x0,5mm 30m G201 Dispenser	1	614103A	614103	26.06
66541200020	Stainless Steel Band 9,5x0,6mm 30m G201 Dispenser	1	614104A	614104	34.41
66541200030	Stainless Steel Band 12,7x0,7mm 30m G201 Dispenser	1	614105A	614105	39.22
66541200040	Stainless Steel Band 16x0,7mm 30m G201 Plastic dispenser	1	614106A	614106	43.26
66541200050	Stainless Steel Band 19x0,7mm 30m G201 Dispenser	1	614107A	614107	47.56


STAINLESS STEEL BANDING BUCKLES
 FOR STRAPPING BANDS: STEEL GRADE: 201


Ear-Lock closure, quality 201

An element used to clamp tensioned stainless steel mounting tapes. These closures are widely used in the energy, telecommunications, road construction, aviation, weapons, food and coal mining industries.

They are made of stainless steel that is resistant to corrosion, UV radiation and harsh weather conditions. They are also resistant to mechanical factors such as vibrations and heavy loads.

High quality and precise finishing of the fasteners ensure easy installation of the tape without damaging it. They are perfect for urban and industrial environments with moderate pollution. Indoor and outdoor locations exposed to chloride. Thanks to the wide variety of clip formats, they can be perfectly tailored to all types and sizes of tapes we produce.

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66541700010	Ear-Lock buckle 6,4x0,8mm G201	100	614109	614109	17.71
66541700020	Ear-Lock buckle 10x1,0mm G201	100	614110	614110	20.24
66541700030	Ear-Lock buckle 12,7x1,5mm G201	100	614111	614111	25.30
66541700040	Ear-Lock buckle 16x1,5mm G201	100	614112	614112	30.36
66541700050	Ear-Lock buckle 19x1,5mm G201	100	614113	614113	30.36


Stainless steel Multi-use buckles G304
 FOR STRAPPING BANDS: STEEL GRADE: AISI 304, 201


Width	Type	Steel grade	Quantity per pack
19 mm (3/4")	Multi-use	AISI 304	100 pcs.
16 mm (5/8")	Multi-use	AISI 304	100 pcs.
12,7 mm (1/2")	Multi-use	AISI 304	50 pcs.
9,5 mm (3/8")	Multi-use	AISI 304	50 pcs.
6,4 mm (1/4")	Multi-use	AISI 304	50 pcs.

Loob screw terminals Stainless steel type 304-201

Stainless steel closure Multifunctional G304

Multi-function stainless steel fasteners are a reusable element used to clamp tensioned stainless steel mounting tapes using a special Allen screw. Multifunctional reusable buckles are widely used in energy, telecommunications, road construction, aviation, weapons industry, food industry and mining industry.

They are made of AISI 304 stainless steel, resistant to corrosion, UV radiation and difficult weather conditions. They are also resistant to mechanical factors such as vibrations and heavy loads

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66542700010	Banding screw buckle Stainless steel 304-201 1/4"50	100	614115B	614115	206.8
66542700020	Banding screw buckle Stainless steel 304-201 3/8"50	100	614116B	614116	217.8
66542700030	Banding screw buckle Stainless steel 304-201 1/2"25	50	614117B	614117	119.9
66542700040	Banding screw buckle Stainless steel 304-201 5/8"25	50	614118B	614118	141.9
66542700050	Banding screw buckle Stainless steel 304-201 3/4"25	50	614119B	614119	150.7


STAINLESS STEEL BAND
 GRADE 1.4301 / AISI 304


Stainless steel tape of quality 1.4301/AISI 304 EN-10088-2

The AISI 304 stainless steel tape is a universal solution that allows you to mount different types of elements, guaranteeing a durable and solid connection even on heavy and demanding objects. A major advantage of stainless steel tapes is their functionality: they work well

Loob Stainless steel strap quality 1.4301/ AISI 304

under difficult weather conditions and can withstand high loads.

Which AISI 304 stainless steel strips do we offer?

Our range includes a wide choice of AISI 304 stainless steel tapes. The proposed products are available in variants with different coil lengths, tape thickness and width. Thanks to such a wide choice of tapes it is possible to perfectly adapt them to the needs of the user and the installation location. AISI 304 stainless steel strips are placed in a handy cardboard packaging. This form of storage not only makes it easier to keep them intact, but also makes the job more efficient and protects against tape rolling and damage. The packaging also allows you to precisely cut the length of the tape.

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66544700010	Stainless Steel Band 6,4x0,5mm 30m G304	1	614103B	614103	23.78
66544700020	Stainless steel band 9,5x0,7mm 30m G304	1	614104B	614104	28.84
66544700030	Stainless Steel Band 12,7x0,7mm 30m G304	1	614105B	614105	36.94
66544700040	Stainless Steel Band 16x0,7mm 30m G304	1	614106B	614106	52.62
66544700050	Stainless Steel Band 19x0,7mm 30m G304	1	614107B	614107	50.09

Loob Clamps AISI 304

Clamps stainless steel type 304

Grade 1.4301 Aisi 304 standard EN 10088-2

Ear-Lock closure class 304

and element used to clamp tensioned stainless steel mounting tapes. These closures are widely used in the energy, telecommunications, road construction, aviation, weapons, food and coal mining industries.

They are made of stainless steel that is resistant to corrosion, UV radiation and harsh weather conditions. They are also resistant to mechanical factors such as vibrations and heavy loads.

High quality and precise finishing of the fasteners ensure easy installation of the tape without damaging it. They are perfect for urban and industrial environments with moderate pollution. Indoor and outdoor locations


STAINLESS STEEL BAND
 GRADE 1.4301 / AISI 304


exposed to chloride. Thanks to the wide variety of clip formats, they can be perfectly tailored to all types and sizes of tapes we produce.

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66545700010	Ear-Lock buckle 6,4x1,0mm G304	100	614109A	614109	22.77
66545700020	Ear-Lock buckle 10x1,0mm G304	100	614110A	614110	22.77
66545700030	Ear-Lock buckle 12,7x1,5mm G304	100	614111A	614111	30.36
66545700040	Ear-Lock buckle 16x1,5mm G304	100	614112A	614112	32.89
66545700050	Ear-Lock buckle 19x1,5mm G304	100	614113A	614113	32.89


STAINLESS STEEL BANDING BUCKLES
 FOR STRAPPING BANDS: STEEL GRADE: AISI 304, 201


An element used to clamp tensioned stainless steel mounting tapes. These closures are widely used in the energy, telecommunications, road construction, aviation, weapons, food and coal mining industries. They are made of stainless steel that is resistant to cor-

L-type clamps type 304

rosion, UV radiation and harsh weather conditions. They are also resistant to mechanical factors such as vibrations and heavy loads. High quality and precise finishing of the fasteners ensure easy installation of the tape without damaging it. They are perfect for urban and industrial environments with moderate pollution. Indoor and outdoor locations exposed to chloride. Thanks to the wide variety of clip formats, they can be perfectly tailored to all types and sizes of tapes we produce.

high strength and durability, resistant to high and low temperatures, resistant to tearing, can withstand heavy loads, vibration resistant, made of stainless steel, resistant to UV radiation, Stainless, Stainless steel quality AISI 304 (1.4301), Thickness 1.0 mm, Minimum quantity 100 pieces, Closure type L-type

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66547200010	L Type Stainless Steel Banding Buckle 6,4x0,7 mm type 304	100	614109C	614109	19.8
66547200020	L Type Stainless Steel Banding Buckle 10,4x0,7 mm type 304	100	614110C	614110	20.9
66547200030	L Type Stainless Steel Banding Buckle 12,7x0,8 mm type 304	100	614111C	614111	23.1
66547200040	L Type Stainless Steel Banding Buckle 16,0x1,0 mm type 304	100	614112C	614112	26.4
66547200050	L Type Stainless Steel Banding Buckle 20,0x1,0 mm type 304	100	614113C	614113	30.8



For Marine and coastal areas. Ship equipment. Highly polluted urban and industrial environments. Immediate location of roads where road salt is used. Elements protected from natural washing by rain. Factories with high pollutant emissions, chemical, petrochemical, pulp

Stainless steel strap 316

and paper industries, textile industries. Coal and copper ore mining in areas sensitive to chlorides. Areas exposed to exhaust fumes containing sulphates. Underground structures, road tunnels.

Installation of cables, ventilation ducts, masts, poles, traffic signs; hanging additional equipment on cable routes, process pipes and poles; packaging for transport, bundling steel and plastic pipes, installing connectors for flexible pipes and much more. Elements used in a very aggressive corrosive environment. Indoor and outdoor locations with high humidity and chlorine.

Length 30 meters

Stainless steel quality AISI 316 (1.4401)

A kind of package Cardboard packaging and in dispenser

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66547700010	Stainless steel band type 316 6,4x0,5mm 1/4" 30m	1	614103D	614103	28.89
66547700020	Stainless steel band type 316 9,5x0,6mm 3/8"30m	1	614104D	614104	37.77
66547700030	Stainless steel band type 316 12,7x0,7mm 1/2"30m	1	614105D	614105	43.33
66547700040	Stainless steel band type 316 16x0,7mm 5/8"30m	1	614106D	614106	47.78
66547700050	Stainless steel band type 316 19x0,7mm 3/4"30m	1	614107D	614107	52.22
66547700110	Stainless Steel Band 316 6,4x0,5mm 1/4" 30m Dispenser	1	614103E	614103	28.66
66547700120	Stainless Steel Band 316 9,5x0,6mm 3/8"30m6 Dispenser	1	614104E	614104	37.85
66547700130	Stainless Steel Band 316 12,7x0,7mm 1/2"30m Dispenser	1	614105E	614105	43.14
66547700140	Stainless Steel Band 316 16x0,7mm 5/8"30m Dispenser	1	614106E	614106	47.59
66547700150	Stainless Steel Band 316 19x0,7mm 3/4"30m Dispenser	1	614107E	614107	52.32


STAINLESS STEEL BAND
 GRADE 1.4404 / AISI 316L


For Marine and coastal areas. Ship equipment. Highly polluted urban and industrial environments. Immediate location of roads where road salt is used. Elements protected from natural washing by rain. Factories with high pollutant emissions, chemical, petrochemical, pulp

Loob ZAP19.Clamps stainless steel type 316

and paper industries, textile industries. Coal and copper ore mining in areas sensitive to chlorides. Areas exposed to exhaust fumes containing sulphates. Underground structures, road tunnels.

Installation of cables, ventilation ducts, masts, poles, traffic signs; hanging additional equipment on cable routes, process pipes and poles; packaging for transport, bundling steel and plastic pipes, installing connectors for flexible pipes and much more. Elements used in a very aggressive corrosive environment. Indoor and outdoor locations with high humidity and chlorine.

Stainless steel quality AISI 316 (1.4401)

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66548200010	Ear-Lock buckle Stainless steel type 316 6,4x1,0mm	100	614109F	614109	37.93
66548200020	Ear-Lock buckle Stainless steel type 316 10x1,0mm	100	614110F	614110	42.52
66548200030	Ear-Lock buckle Stainless steel type 316 12,7x1,5mm	100	614111F	614111	78.27
66548200040	Ear-Lock buckle Stainless steel type 316 16x1,5mm	100	614112F	614112	80.30
66548200050	Ear-Lock buckle Stainless steel type 316 19x1,5mm	100	614113F	614113	88.50

Protective rubber band

The protective rubber tape is an element used to protect vulnerable elements from damage when mounting Loob stainless steel mounting tapes on them.

The protective tape acts as a cover that is applied over the steel tape during installation and protects the elements on which the Loob stainless steel tapes are mounted against damage.

This type of protection is used, among other things, on electricity poles, lighting poles and traffic lights.

PRODUCT FEATURES:

- black color
- special tape widths: 20 mm, 10 mm
- made entirely of high-quality rubber
- easy installation
- low weight
- high-quality finish
- UV resistance



artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66551200010	Protective rubber band 10mm 10m	1	795436A	795436	20.24
66551200020	Protective rubber band 20mm 10m	1	795436	795436	22.77



Loob BSS screw strapping machine

The Loob screw strapping device is a tool used for tensioning stainless steel straps up to 20 mm wide in all steel grades offered by Loob.

The device is made of anti-corrosion galvanized steel. The tool also has built-in blades for cutting stainless steel.

It is used together with steel strap clasps. The strapping machine is suitable for use in various environments.

The strapping machine has a system of replaceable blades and bearings.

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66541200010	Banding Tool 6,4 -20 mm	1	614101	614101	80.5

Loob BGS ratchet-Type Tensioning Tool

The Common Type Loob ratchet strapping device is designed for installing stainless steel straps of any type with a width from 6.4 mm to 20 mm, used for installation, among others: elements on power and telecommunications poles.

It is made of anti-corrosion galvanized steel with plastic elements.

The device has a built-in system of blades for cutting tapes, which significantly facilitates their installation.

The strapping machine is very simple and convenient to use.



artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66542800020	Ratchet-Type Banding Tool 6,4 -20 mm	1	614101A	614101	115


XL STAINLESS STEEL BAND
 GRADE 1.4301 / AISI 304


AISI 304 XL stainless steel tape
 Grade 1.4301 Aisi 304 standard EN 10088-2
 The AISI 304 XL stainless steel tape is a universal solution that allows you to mount different types of elements, guaranteeing a durable and solid connection even on heavy and demanding objects. A major advantage of stainless steel tapes is their functionality: they work well

Loob XL Stainless steel strap AISI 304

under difficult weather conditions and can withstand high loads.

Which AISI 304 XL stainless steel strips do we offer? Our range includes a wide choice of AISI 304 XL stainless steel tapes. The proposed products are available in variants with different coil lengths, tape thickness and width. Thanks to such a wide choice of tapes it is possible to perfectly adapt them to the needs of the user and the installation location. AISI 304 XL stainless steel strips are placed in a handy cardboard packaging. This form of storage not only makes it easier to keep them intact, but also makes the job more efficient and protects against tape rolling and damage. The packaging also allows you to precisely cut the length of the tape.

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66543300010	XL Stainless steel band 304 19x1,0mm 30m 3/4" 30mtr.	1	614107C-XL	614107	77
66543300020	XL Stainless steel band 304 25x1,0mm 30m 1" 30mtr.	1	614108C-XL	614108	79.86
66543300030	XL Stainless steel band 304 32x1,0mm 30m 1 1/4" 30mtr.	1	614108C-XL	614108	123.2

Loob XL Stainless steel clamps type 304


STAINLESS STEEL BANDING BUCKLES
 FOR XL STRAPPING BAND; STEEL GRADE: AISI 304


Width	Thickness	Steel grade	Quantity per pack
19mm (3/4")	1.0mm (1/32")	AISI 304	25 pcs.
25mm (1")	1.0mm (1/32")	AISI 304	25 pcs.
32mm (1 1/4")	1.0mm (1/32")	AISI 304	25 pcs.

* Minimum thickness 0.5mm

Clamps stainless steel type 304

Grade 1.4301 Aisi 304 standard EN 10088-2
 Ear-Lock closure class 304

An element for tightly clamping XL mounting tapes. These fasteners are widely used in the energy, telecommunications, road and railway industries, the weapons industry, the food industry and the coal mining industry.

They are made of stainless steel that is resistant to corrosion, UV radiation and harsh weather conditions. They are also resistant to mechanical factors such as vibrations and heavy loads.

High quality and precise finishing of the fasteners ensure easy installation of the tape without damaging it. They are perfect for urban and industrial environments with moderate pollution. Indoor and outdoor locations exposed to chloride. Intended for XL type stainless steel mounting tapes only.

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66543700010	XL Buckles type 201 3/4"	100	614113XL-3/4	614113	242
66543700020	XL Buckles type 201 1"	100	614113XL-1	614114	352
66543700030	XL Buckles type 201 1 1/4"	100	614114XL-11/4	614114	506

SCREW BANDING TOOL XL


Mechanism	Band width range	Band thickness range	Dimensions
Manual	19mm-32mm	1,0mm-1,2mm	300x120x87

Loob BS(XL) Banding Tool "heavy duty"

The XL screw strapping device is a special tool used for tensioning stainless steel straps with a thickness of 1 and 1.2 mm and a width of 19, 25 and 32 mm. The device is made of anti-corrosion galvanized steel. The tool also has built-in blades for cutting stainless steel, which significantly facilitates its use. The strapping device is used with steel strap clasps. The device is suitable for operation in various environments.

TECHNICAL DATA:

Dimensions: 30 x 12 x 8.7 cm

Mechanism: manual

Tape width range: 19-32 mm

Tape thickness range: 1.0-1.2 mm

Grey colour

Weight: 2.8 kg

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66544600010	Banding Tool "heavy duty"	1	614101C	614101	185.9

Ball-Lok cable tie stainless steel 304

Ball-lock stainless steel clamping system
 Stainless steel cable tie tool with ball lock

Tool for clamping and cutting stainless steel self-locking clamps. It is resistant to corrosion and oxidation. Perfect for Ball-lock clamps made of various types of stainless steel. Using the handle you can adjust the tension of the band according to your needs and you can easily cut off the excess band using the built-in mechanism.

The tool is very simple and fast to use.



LOOB CABLE TIES
 BALL-LOCK TYPE STEEL GRADE: AISI 304

Steel grade	Length	Width	Break down force	Working length	Packaging
AISI 304 201	400	4,5	80	30	100
AISI 304 201	300	4,5	80	30	100
AISI 304 201	200	4,5	80	30	100
AISI 304 201	150	4,5	80	30	100
AISI 304 201	100	4,5	80	30	100
AISI 304 201	50	4,5	80	30	100
AISI 304 201	400	7,9	100	30	100
AISI 304 201	300	7,9	100	30	100
AISI 304 201	200	7,9	100	30	100
AISI 304 201	150	7,9	100	30	100
AISI 304 201	100	7,9	100	30	100
AISI 304	300	4,5	80	30	100
AISI 304	200	4,5	80	30	100
AISI 304	150	4,5	80	30	100
AISI 304	100	4,5	80	30	100
AISI 304	50	4,5	80	30	100

Warranty: 1 year
 Material: stainless steel
 Working temperature: -20°C to +100°C
 Features: self-locking, corrosion resistant, easy to use, green, yellow, blue, red, black, white, grey, silver, gold, etc.

663326 663327
 LABEL PLATES

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66554000010	Ball-Lok Stainless Steel Cable Tie 150x4,5mm G304	100	794889	794889	17.71
66554000020	Ball-Lok Stainless Steel Cable Tie 200x4,5mm G304	100	794889	794889	20.24
66554000030	Ball-Lok Stainless Steel Cable Tie 250x4,5mm G304	100	794889	794889	20.24
66554000040	Ball-Lok Stainless Steel Cable Tie 300x4,5mm G304	100	794890	794890	20.24
66554000050	Ball-Lok Stainless Steel Cable Tie 350x4,5mm G304	100	794890	794890	22.77
66554000060	Ball-Lok Stainless Steel Cable Tie 400x4,5mm G304	100	794890	794890	25.3
66554000110	Ball-Lok Stainless Steel Cable Tie 200x7,9mm G304	100	794889	794889	30.36
66554000120	Ball-Lok Stainless Steel Cable Tie 300x7,9mm G304	100	794890	794890	35.42
66554000130	Ball-Lok Stainless Steel Cable Tie 400x7,9mm G304	100	794890	794890	40.48
66554000140	Ball-Lok Stainless Steel Cable Tie 600x7,9mm G304	100	794891	794891	63.25
66554000150	Ball-Lok Stainless Steel Cable Tie 750x7,9mm G304	100	794891	794891	63.25
66554000160	Ball-Lok Stainless Steel Cable Tie 1050x7,9mm G304	100	794891	794891	78.43
66554000170	Ball-Lok Stainless Steel Cable Tie 1200x7,9mm G304	100	794891	794891	88.55


**STEEL TIE CRIMPER
BALL-LOCK TYPE**


Stainless steel band crimping pliers with ball closure (pistol)
 Ball-lock stainless steel clamping system

Ball-Lock band crimping pliers ZBL

Stainless steel cable tie tool with ball lock
 The tool is used for quick and economical installation of stainless steel ball clamps. Automatically tensions and cuts strips up to 7.9 mm wide and 0.3 mm thick. It also allows you to adjust the tension force using a knob on the bottom of the handle.
 This tool is perfect for industrial installations, energy and telecommunications. This allows you to tighten the tape loop and cut it automatically after the specified tension is reached.

It is a fast and effective tool with a guarantee of five thousand full band tensions and cutting.

artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66556700010	Ball-Lock Tensioning Gun ZBL	1	614101	614101	154.33

Ball-lock tool NBL

Stainless steel band crimping pliers with ball closure (pistol)
 Ball-lock stainless steel clamping system
 Stainless steel cable tie tool with ball lock


BALL-LOCK TIE TENSIONER


artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66556200010	Ball-lock tool NBL	1	614101	614101	101.2

Screwband Stainless steel

A product for making your own clamps with a screw mechanism. This solution allows you to make a clamp of any diameter. It is made of stainless steel. Special screw clips are required for complete installation. The worm tape has a very wide range of applications, including: in automotive workshops or the hydraulic industry for fastening hoses, ducts and air ducts. Thanks to the high-quality finish, the tape can be used in difficult environments. Length 30 meters, Stainless steel quality, AISI 304 (1.4301)


STAINLESS STEEL WORM DRIVE CLAMP BAND
STEEL GRADE AISI 304, AISI 430


artikel	omschrijving	ApVV	Couple nr	IMPA	Ppst
66561500010	Stamped band 9x0,6mm 30m G304	1	614104	614104	40.48
66561500020	Stamped band 12x0,6mm 30m G304	1	614105	614105	65.78
66561500030	Stamped band clamps 9mm G304	50	614110	614110	39.22
66561500040	Stamped band clamps 12mm G304	50	614111	614111	53.13
66561500110	Stamped band 9x0,6mm 30m G430	1	614104	614104	31.88
66561500120	Stamped band 12x0,6mm 30m G430	1	614105	614105	31.88
66561500130	Stamped band clamps 9mm G430	50	614110	614110	25.3
66561500140	Stamped band clamps 12mm G430	50	614111	614111	37.95



“Part of your job!”

DKMTools

Energieweg 47
4906 CG Oosterhout

Tel. +31 (0) 168 357755

Telefonisch bereikbaar van
maandag tot en met vrijdag
van 09.00 - 16.00 uur.

email: info@dkmtools.nl